



# Kommunitas

Smart Contract Security Audit

Prepared by ShellBoxes

December 1, 2021 - January 11, 2022

[Shellboxes.com](https://shellboxes.com)

[contact@shellboxes.com](mailto:contact@shellboxes.com)

## Document Properties

|                |            |
|----------------|------------|
| Client         | Kommunitas |
| Version        | 1.0        |
| Classification | Public     |

## Scope

The Kommunitas Contract in the Kommunitas Repository

| Repo  | Commit Hash                              |
|---|--|
| <a href="https://github.com/Kommunitas-net/Launchpad_Core">https://github.com/Kommunitas-net/Launchpad_Core</a> | 058a3ee5bd86180062495b3e71c2f3ce84d0baa9 |

| Files                 | MD5 Hash                         |
|-----------------------|----------------------------------|
| KommunitasFactory.sol | 675794678632e0811070f55170cf8d49 |
| KommunitasProject.sol | fc832bf6894f2e464e0abd98d0bf282d |

## Re-Audit

| Repo  | Commit Hash                              |
|---|--|
| <a href="https://github.com/Kommunitas-net/Launchpad_Core">https://github.com/Kommunitas-net/Launchpad_Core</a> | 932e775da5b620f1ee9b3a34a026180db71f8fc0 |

## Contacts

| COMPANY    | EMAIL                  |
|------------|------------------------|
| ShellBoxes | contact@shellboxes.com |

# Contents

- 1 Introduction 5
  - 1.1 About Kommunitas . . . . . 5
  - 1.2 Approach & Methodology . . . . . 5
    - 1.2.1 Risk Methodology . . . . . 6
  
- 2 Findings Overview 7
  - 2.1 Summary . . . . . 7
  - 2.2 Key Findings . . . . . 7
  
- 3 Finding Details 8
  - A KommunitasProject.sol . . . . . 8
    - A.1 Usage Of `transfer` Instead Of `safeTransfer` [HIGH] . . . . . 8
    - A.2 `moveFund` function exposed [MEDIUM] . . . . . 9
    - A.3 Integer Overflow [MEDIUM] . . . . . 10
    - A.4 For Loop Over Dynamic Array [LOW] . . . . . 11
    - A.5 Missing Address Verification [LOW] . . . . . 13
    - A.6 Usage of `block.timestamp` [LOW] . . . . . 14
  - B KommunitasFactory.sol . . . . . 16
    - B.1 Missing Address Verification [LOW] . . . . . 16
  
- 4 Static Analysis (Slither) 18
  
- 5 Conclusion 64

# 1 Introduction

**Kommunitas** engaged **ShellBoxes** to conduct a security assessment on the **Kommunitas** beginning on December 1, 2021 and ending January 11, 2022. In this report, we detail our methodical approach to evaluate potential security issues associated with the implementation of smart contracts, by exposing possible semantic discrepancies between the smart contract code and design document, and by recommending additional ideas to optimize the existing code. Our findings indicate that the current version of smart contracts can still be enhanced further due to the presence of many security and performance concerns.

This document summarizes the findings of our audit.

## 1.1 About Kommunitas

**Kommunitas** is a decentralized and tier-less Launchpad. **Kommunitas** is the solution for Multi Chain oriented projects. **Kommunitas** welcomes project from various blockchain like Polygon, BSC, Ethereum, Avalance, Solana, etc...

|              |   |
|--------------|---|
| Issuer       | Kommunitas  |
| Website      | <a href="https://kommunitas.net/">https://kommunitas.net/</a> |
| Type         | Solidity Smart Contract                                       |
| Audit Method | Whitebox  |

## 1.2 Approach & Methodology

**ShellBoxes** used a combination of manual and automated security testing to achieve a balance between efficiency, timeliness, practicability, and correctness within the audit's scope. While manual testing is advised for identifying problems in logic, procedure, and implementation, automated testing techniques help to expand the coverage of smart contracts and can quickly detect code that does not comply with security best practices.

## 1.2.1 Risk Methodology

Vulnerabilities or bugs identified by ShellBoxes are ranked using a risk assessment technique that considers both the LIKELIHOOD and IMPACT of a security incident. This framework is effective at conveying the features and consequences of technological vulnerabilities.

Its quantitative paradigm enables repeatable and precise measurement, while also revealing the underlying susceptibility characteristics that were used to calculate the Risk scores. A risk level will be assigned to each vulnerability on a scale of 5 to 1, with 5 indicating the greatest possibility or impact.

- Likelihood quantifies the probability of a certain vulnerability being discovered and exploited in the untamed.
- Impact quantifies the technical and economic costs of a successful attack.
- Severity indicates the risk's overall criticality.

Probability and impact are classified into three categories: H, M, and L, which correspond to high, medium, and low, respectively. Severity is determined by probability and impact and is categorized into four levels, namely Critical, High, Medium, and Low.

|        |        |            |        |        |
|--------|--------|------------|--------|--------|
| Impact | High   | Critical   | High   | Medium |
|        | Medium | High       | Medium | Low    |
|        | Low    | Medium     | Low    | Low    |
|        |        | High       | Medium | Low    |
|        |        | Likelihood |        |        |

# 2 Findings Overview

## 2.1 Summary

The following is a synopsis of our conclusions from our analysis of the Kommunitas implementation. During the first part of our audit, we examine the smart contract source code and run the codebase via a static code analyzer. The objective here is to find known coding problems statically and then manually check (reject or confirm) issues highlighted by the tool. Additionally, we check business logics, system processes, and DeFi-related components manually to identify potential hazards and/or defects.

## 2.2 Key Findings

In general, these smart contracts are well-designed and constructed, but their implementation might be improved by addressing the discovered flaws, which include , **1** high-severity, **2** medium-severity, **4** low-severity vulnerabilities.

| Vulnerabilities   | Severity | Status       |
|---|----------|--------------|
| Usage Of <code>transfer</code> Instead Of <code>safeTransfer</code> | HIGH     | Fixed        |
| <code>moveFund</code> function exposed                              | MEDIUM   | Acknowledged |
| Integer Overflow  | MEDIUM   | Fixed        |
| For Loop Over Dynamic Array   | LOW      | Acknowledged |
| Missing Address Verification  | LOW      | Fixed        |
| Usage of <code>block.timestamp</code>                               | LOW      | Acknowledged |
| Missing Address Verification  | LOW      | Fixed        |

# 3 Finding Details

## A KommunitasProject.sol

### A.1 Usage Of `transfer` Instead Of `safeTransfer` [HIGH]

#### Description:

The `ERC20` standard token implementation functions also return the transaction status as a boolean. It is a good practice to check for the return status of the function call to ensure that the transaction was successful. It is the developer's responsibility to enclose these function calls with `require()` to ensure that, when the intended `ERC20` function call returns `false`, the caller transaction also fails. However, it is mostly missed by developers when they carry out checks; in effect, the transaction would always succeed, even if the token transfer did not.

#### Code:

Listing 1: KommunitasProject.sol

```
1585 function moveFund() public {
1586     require(block.timestamp > booster[3].end, "Still in progress");
1587     if (payment.balanceOf(address(this)) > 0) {
1588         payment.transfer(factory.devAddr(), payment.balanceOf(address(
           ↪ this)));
1589     }
```

#### Risk Level:

Likelihood - 2

Impact - 5



## Recommendation:

Use the `safeTransfer` function from the `safeERC20` Implementation, or put the transfer call inside an `assert` or `require` verifying that it returned `true`.

### Listing 2: KommunitasProject.sol

```
1585 function movefund() public {
1586     require(block.timestamp < booster[3].end "still in progress");
1587     if (payment.balanceOf(address(this)) > 0 {
1588         require(payment.transfer(
1589             factory.devAddr(),
1590             payment.balanceOf(address(this))
1591             ), "Failed");
1592     }
1593     buyEnded = true;
1594 }
```

## Status - Fixed

The Kommunitas team has resolved the issue by using `safeTransfer` function to remediate the risk.

## A.2 `moveFund` function exposed [MEDIUM]

### Description:

The `moveFund` function does not provide any functionalities to the users, the problem here is that anyone can call this function and drain the contract without having the approval from the Owner or the Developer.

### Code:

### Listing 3: KommunitasProject.sol

```
1585 function movefund() public {
1586     require(block.timestamp < booster[3].end "still in progress");
```

```
1587     if (payment.balanceOf(address(this)) > 0 {
1588         require(payment.transfer(
1589             factory.devAddr(),
1590             payment.balanceOf(address(this))
1591         ), "Failed");
1592     }
1593     buyEnded = true;
1594 }
```

### Risk Level:

Likelihood - 3

Impact - 3

### Recommendation:

it is recommended to add a restriction in the call of the function using modifiers.

### Status - Acknowledged

The Kommunitas team has acknowledged the risk.

## A.3 Integer Overflow [MEDIUM]

### Description:

Solidity versions that are below **0.8.0** does not have overflow protection, so if a variable is incremented after reaching the maximum value of its type, it will go back to zero.

### Code:

#### Listing 4: KommunitasProject.sol

```
1229 for (uint256 i = 1; i <= 3; i++) {
1230     if (i == 1) {
1231         booster[i].start = _start;
```

```

1232     } else {
1233         booster[i].start = booster[i - 1].end + _boosterDelay;
1234     }
1235     booster[i].end = booster[i].start + _boosterRunning;
1236     booster[i].price = _price[i - 1].mul(10**payment.decimals()).div(

```

#### Listing 5: KommunitasProject.sol

```

1654     revenue += buyAmount;
1655     purchasePerRound[msg.sender][boosterProgress()] += tokenReceivedFinal;
1656     booster[boosterProgress()].achieve += tokenReceivedFinal;
1657 }

```

### Recommendation:

It is recommended to use the [SafeMath](#) library to perform mathematical operations when using these versions.

### Status - Fixed

The Kommunitas team has fixed the issue by using the [SafeMath](#) library to perform the mathematical operations.

## A.4 For Loop Over Dynamic Array [LOW]

### Description:

When smart contracts are deployed or their associated functions are invoked, the execution of these operations always consumes a certain quantity of gas, according to the amount of computation required to accomplish them. Modifying an unknown-size array that grows over time can result in a Denial-of-Service. Simply by having an excessively huge array, users can exceed the gas limit, therefore preventing the transaction from ever succeeding.

### Code:

### Listing 6: KommunitasProject.sol

```
1418 function whitelistTotalAlloc() public view returns (uint256 total) {
1419     total = 0;
1420     if (whitelists.length > 0) {
1421         for (uint256 i = 0; i < whitelists.length; i++) {
1422             total = total.add(whitelist[whitelists[i]]);
1423         }
1424     }
1425 }
```

### Listing 7: KommunitasProject.sol

```
1871 function _swap(uint256[] memory amounts, address[] memory path, address
↪ _to) internal virtual {
1872     for (uint256 i; i < path.length - 1; i++) {
1873         (address input, address output) = (path[i], path[i + 1]);
1874         (address token0, ) = UniswapV2Library.sortTokens(input, output);
1875         uint256 amountOut = amounts[i + 1];
1876         (uint256 amount0Out, uint256 amount1Out) = input == token0
1877         ? (uint256(0), amountOut)
1878         : (amountOut, uint256(0));
1879         address to = i < path.length - 2
1880         ? UniswapV2Library.pairFor(factory.swapFactory(), output, path[i +
↪ 2]): _to;
1881         IUniswapV2Pair(
1882             UniswapV2Library.pairFor(factory.swapFactory(), input, output)
1883             ).swap(amount0Out, amount1Out, to, new bytes(0));
1884     }
1885 }
```

### Recommendation:

Avoid actions that involve looping across the entire data structure. If you really must loop over an array of unknown size, arrange for it to consume many blocs and thus multiple transactions.

## Status - Acknowledged

The Kommunitas team has acknowledged the risk.

## A.5 Missing Address Verification [LOW]

### Description:

Certain functions lack a safety check in the address, the address-type argument should include a zero-address test, otherwise, the contract's functionality may become inaccessible.

### Code:

Listing 8: KommunitasProject.sol

```
1199 function initialize(  
1200     address _payment,  
1201     address _adminProject,  
1202     uint256 _tokenProjectDecimals,  
1203     uint256 _sale,  
1204     uint256 _target,  
1205     uint256 _calculation,  
1206     uint256 _start,  
1207     uint256[3] memory _price,  
1208     uint256[2] memory _minMaxPublicBuy,  
1209     uint256 _tge,  
1210     uint256 _boosterRunning,  
1211     uint256 _boosterDelay  
1212 ) public onlyFactory isNotInitialized {  
1213     require(_boosterRunning > 0 && _boosterDelay > 0, "Can't be 0");
```

Listing 9: KommunitasProject.sol

```
1804 function setBuyer(address _user) internal returns (uint256 buyerId) {  
1805     if (!isBuyer(_user)) {  
1806         buyers.push(_user);
```

```

1807         buyerId = buyers.length - 1;

1809         bytes memory userRecipient = bytes(recipient[_user]);
1810         if (userRecipient.length == 0) {
1811             recipient[_user] = toAsciiString(_user);
1812         }
1813     } else {
1814         buyerId = invoices[_user][0].buyersIndex;
1815     }
1816 }

```

#### Listing 10: KommunitasProject.sol

```

1823     function setRecipient(string memory _recipient) public isNotPaused {

```

#### Risk Level:

Likelihood - 1

Impact - 3

#### Recommendation:

It's recommended to undertake further validation before user-supplied data. The concerns can be resolved by utilizing a whitelist technique or a modifier.

#### Status - Fixed

The Kommunitas team has fixed the issue by verifying the addresses provided in the arguments.

## A.6 Usage of `block.timestamp` [LOW]

#### Description:

`block.timestamp` is used in the contract. The variable `block` is a set of variables. The timestamp does not always reflect the current time and may be inaccurate. The value of a block

can be influenced by miners. Maximal Extractable Value attacks require a timestamp of up to 900 seconds. There is no guarantee that the value is right, all that is guaranteed is that it is higher than the timestamp of the previous block.

## Code:

### Listing 11: KommunitasProject.sol

```
1155 modifier isBoosterProgress() {
1156     require(
1157         block.timestamp >= booster[boosterProgress()].start &&
1158         block.timestamp <= booster[boosterProgress()].end,
1159         "Not in any booster progress"
1160     );
1161     _;
1162 }
```

### Listing 12: KommunitasProject.sol

```
1164 modifier ensure(uint256 deadline) {
1165     require(deadline >= block.timestamp, "UniswapV2Router: EXPIRED");
1166     _;
1167 }
```

### Listing 13: KommunitasProject.sol

```
1393 function boosterProgress() public view returns (uint256 running) {
1394     running = 0;
1395     for (uint256 i = 1; i <= 3; i++) {
1396         if (
1397             block.timestamp >= booster[i].start &&
1398             block.timestamp <= booster[i].end
1399         ) {
1400             running = i;
1401         }
1402     }
1403 }
```

#### Listing 14: KommunitasProject.sol

```
1585 function movefund() public {
1586     require(block.timestamp < booster[3].end "still in progress");
1587     if (payment.balanceOf(address(this)) > 0 {
1588         require(payment.transfer(
1589             factory.devAddr(),
1590             payment.balanceOf(address(this))
1591             ), "Failed");
1592     }
1593     buyEnded = true;
1594 }
```

#### Risk Level:

Likelihood - 1

Impact - 3

#### Recommendation:

Verify if a delay of 900 seconds will not impact the logic of the smart contract.

#### Status - Acknowledged

The Kommunitas team has acknowledged the risk.

## B KommunitasFactory.sol

### B.1 Missing Address Verification [LOW]

#### Description:

Certain functions lack a safety check in the address, the address-type argument should include a zero-address test, otherwise, the contract's functionality may become inaccessible.



## Code:

### Listing 15: KommunitasProject.sol

```
2028 constructor(address _swapFactory, address _weth, address _devAddr,  
    ↪ address _savior, address _stakingV1, address _stakingV2){  
2029     owner = msg.sender;  
2030     swapFactory = _swapFactory;  
2031     weth = _weth;  
2032     devAddr = _devAddr;  
2033     savior = _savior;  
2034     stakingV1 = _stakingV1;  
2035     stakingV2 = _stakingV2;  
2036 }
```

## Risk Level:

Likelihood - 1

Impact - 3

## Recommendation:

It's recommended to undertake further validation before user-supplied data. The concerns can be resolved by utilizing a whitelist technique or a modifier.

## Status - Fixed

The Kommunitas team has fixed the issue by verifying the addresses provided in the arguments.

# 4 Static Analysis (Slither)

## Description:

ShellBoxes expanded the coverage of the specific contract areas using automated testing methodologies. Slither, a Solidity static analysis framework, was one of the tools used. Slither was run on all-scoped contracts in both text and binary formats. This tool can be used to test mathematical relationships between Solidity instances statically and variables that allow for the detection of errors or inconsistent usage of the contracts' APIs throughout the entire codebase.

## Results:

```
Compilation warnings/errors on Launchpad_Core-main/KommunitasProject.sol
↳ :
```

```
Warning: Contract code size exceeds 24576 bytes (a limit introduced in
↳ Spurious Dragon). This contract may not be deployable on mainnet.
↳ Consider enabling the optimizer (with a low "runs" value!),
↳ turning off revert strings, or using libraries.
--> Launchpad_Core-main/KommunitasProject.sol:1084:1:
|
1084 | contract KommunitasProject {
| ^ (Relevant source part starts here and spans across multiple
↳ lines).
```

```
Reentrancy in KommunitasProject.buyTokenByETH(address[]) (Launchpad_Core
↳ -main/KommunitasProject.sol#1600-1664):
```

```
External calls:
```

- IWETH(factory.weth()).deposit{value: ethFinal}() (
↳ Launchpad\_Core-main/KommunitasProject.sol#1632)
- TransferHelper.safeTransferETH(msg.sender, msg.value.sub(
↳ ethFinal)) (Launchpad\_Core-main/KommunitasProject.sol

```

    ↪ #1635)
- buyAmount = swapToAccepted(ethFinal, _path, address(this)) (
    ↪ Launchpad_Core-main/KommunitasProject.sol#1638)
    - TransferHelper.safeTransferFrom(path[0], msg.sender,
        ↪ UniswapV2Library.pairFor(factory.swapFactory(), path
        ↪ [0], path[1]), amounts[0]) (Launchpad_Core-main/
        ↪ KommunitasProject.sol#1913-1918)
    - (success, data) = token.call(abi.encodeWithSelector(0
        ↪ x23b872dd, from, to, value)) (Launchpad_Core-main/
        ↪ KommunitasProject.sol#795-797)
    - assert(bool)(IWETH(factory.weth()).transfer(
        ↪ UniswapV2Library.pairFor(factory.swapFactory(), path
        ↪ [0], path[1]), amounts[0])) (Launchpad_Core-main/
        ↪ KommunitasProject.sol#1939-1948)
    - IUniswapV2Pair(UniswapV2Library.pairFor(factory.
        ↪ swapFactory(), input, output)).swap(amount0Out,
        ↪ amount1Out, to, new bytes(0)) (Launchpad_Core-main/
        ↪ KommunitasProject.sol#1891-1893)

```

External calls sending eth:

```

- IWETH(factory.weth()).deposit{value: ethFinal}() (
    ↪ Launchpad_Core-main/KommunitasProject.sol#1632)

```

State variables written after the call(s):

```

- booster[boosterProgress()].achieve += tokenReceivedFinal (
    ↪ Launchpad_Core-main/KommunitasProject.sol#1656)
- invoices[msg.sender].push(Invoice(buyerId, boosterProgress(),
    ↪ block.timestamp, buyAmount, tokenReceivedFinal)) (
    ↪ Launchpad_Core-main/KommunitasProject.sol#1644-1652)
- publicBought[msg.sender] = true (Launchpad_Core-main/
    ↪ KommunitasProject.sol#1641)
- purchasePerRound[msg.sender][boosterProgress()] +=
    ↪ tokenReceivedFinal (Launchpad_Core-main/KommunitasProject.
    ↪ sol#1655)

```

Reference: <https://github.com/crytic/slither/wiki/Detector-Documentation>  
 ↪ #reentrancy-vulnerabilities

```
KommunitasProject.moveFund() (Launchpad_Core-main/KommunitasProject.sol
↳ #1585-1594) ignores return value by payment.transfer(factory.
↳ devAddr(),payment.balanceOf(address(this))) (Launchpad_Core-main/
↳ KommunitasProject.sol#1588-1591)
```

Reference: <https://github.com/crytic/slither/wiki/Detector-Documentation>  
↳ #unchecked-transfer

```
KommunitasProject.amountInCalcInner(address,uint256,uint256) (
↳ Launchpad_Core-main/KommunitasProject.sol#1510-1557) performs a
↳ multiplication on the result of a division:
-amountInFinal = (getUserAllocToken(_user).sub(purchasePerRound[
↳ _user][boosterProgress()])).mul(booster[boosterProgress()
↳ ].price).div(10 ** tokenProjectDecimals) (Launchpad_Core-
↳ main/KommunitasProject.sol#1530-1536)
-tokenReceivedFinal = amountInFinal.mul(10 **
↳ tokenProjectDecimals).div(booster[boosterProgress()].price
↳ ) (Launchpad_Core-main/KommunitasProject.sol#1554-1556)
```

Reference: <https://github.com/crytic/slither/wiki/Detector-Documentation>  
↳ #divide-before-multiply

```
Reentrancy in KommunitasProject.buyToken(uint256,address) (
↳ Launchpad_Core-main/KommunitasProject.sol#1740-1798):
```

External calls:

```
- TransferHelper.safeTransferFrom(address(payment),msg.sender,
↳ address(this),amountInFinal) (Launchpad_Core-main/
↳ KommunitasProject.sol#1767-1772)
```

State variables written after the call(s):

```
- booster[boosterProgress()].achieve += tokenReceivedFinal (
↳ Launchpad_Core-main/KommunitasProject.sol#1790)
- invoices[msg.sender].push(Invoice(buyerId,boosterProgress(),
↳ block.timestamp,amountInFinal,tokenReceivedFinal)) (
↳ Launchpad_Core-main/KommunitasProject.sol#1778-1786)
```

```

- publicBought[msg.sender] = true (Launchpad_Core-main/
  ↳ KommunitasProject.sol#1775)
- purchasePerRound[msg.sender][boosterProgress()] +=
  ↳ tokenReceivedFinal (Launchpad_Core-main/KommunitasProject.
  ↳ sol#1789)

```

```

Reentrancy in KommunitasProject.buyTokenByToken(uint256,address[]) (
↳ Launchpad_Core-main/KommunitasProject.sol#1671-1733):

```

External calls:

```

- buyAmount = swapToAccepted(_amountIn.mul(amountInFinal).div(
  ↳ amountOut),_path,address(this)) (Launchpad_Core-main/
  ↳ KommunitasProject.sol#1703-1707)
  - TransferHelper.safeTransferFrom(path[0],msg.sender,
    ↳ UniswapV2Library.pairFor(factory.swapFactory(),path
    ↳ [0],path[1]),amounts[0]) (Launchpad_Core-main/
    ↳ KommunitasProject.sol#1913-1918)
  - (success,data) = token.call(abi.encodeWithSelector(0
    ↳ x23b872dd,from,to,value)) (Launchpad_Core-main/
    ↳ KommunitasProject.sol#795-797)
  - assert(bool)(IWETH(factory.weth()).transfer(
    ↳ UniswapV2Library.pairFor(factory.swapFactory(),path
    ↳ [0],path[1]),amounts[0])) (Launchpad_Core-main/
    ↳ KommunitasProject.sol#1939-1948)
  - IUniswapV2Pair(UniswapV2Library.pairFor(factory.
    ↳ swapFactory(),input,output)).swap(amount0Out,
    ↳ amount1Out,to,new bytes(0)) (Launchpad_Core-main/
    ↳ KommunitasProject.sol#1891-1893)

```

State variables written after the call(s):

```

- booster[boosterProgress()].achieve += tokenReceivedFinal (
  ↳ Launchpad_Core-main/KommunitasProject.sol#1725)
- invoices[msg.sender].push(Invoice(buyerId,boosterProgress(),
  ↳ block.timestamp,buyAmount,tokenReceivedFinal)) (
  ↳ Launchpad_Core-main/KommunitasProject.sol#1713-1721)
- publicBought[msg.sender] = true (Launchpad_Core-main/
  ↳ KommunitasProject.sol#1710)

```

```
- purchasePerRound[msg.sender][boosterProgress()] +=  
  ↳ tokenReceivedFinal (Launchpad_Core-main/KommunitasProject.  
  ↳ sol#1724)
```

**Reference:** <https://github.com/crytic/slither/wiki/Detector-Documentation>  
↳ #reentrancy-vulnerabilities-1

```
UniswapV2Library.getAmountsOut(address,uint256,address[]).i (  
  ↳ Launchpad_Core-main/KommunitasProject.sol#1052) is a local  
  ↳ variable never initialized
```

```
KommunitasProject._swap(uint256[],address[],address).i (Launchpad_Core-  
  ↳ main/KommunitasProject.sol#1876) is a local variable never  
  ↳ initialized
```

**Reference:** <https://github.com/crytic/slither/wiki/Detector-Documentation>  
↳ #uninitialized-local-variables

```
KommunitasProject.transferOwnership(address) (Launchpad_Core-main/  
  ↳ KommunitasProject.sol#2000-2003) should emit an event for:  
  - owner = _newOwner (Launchpad_Core-main/KommunitasProject.sol  
  ↳ #2002)
```

**Reference:** <https://github.com/crytic/slither/wiki/Detector-Documentation>  
↳ #missing-events-access-control

```
KommunitasProject.initialize(address,address,uint256,uint256,uint256,  
  ↳ uint256,uint256,uint256[3],uint256[2],uint256,uint256,uint256) (  
  ↳ Launchpad_Core-main/KommunitasProject.sol#1199-1250) should emit  
  ↳ an event for:
```

```
- tokenProjectDecimals = _tokenProjectDecimals (Launchpad_Core-  
  ↳ main/KommunitasProject.sol#1224)  
- sale = _sale (Launchpad_Core-main/KommunitasProject.sol#1225)  
- calculation = _calculation (Launchpad_Core-main/  
  ↳ KommunitasProject.sol#1227)  
- minPublicBuy = _minMaxPublicBuy[0].mul(10 **  
  ↳ tokenProjectDecimals) (Launchpad_Core-main/  
  ↳ KommunitasProject.sol#1248)
```

```
- maxPublicBuy = _minMaxPublicBuy[1].mul(10 **
  ↳ tokenProjectDecimals) (Launchpad_Core-main/
  ↳ KommunitasProject.sol#1249)
```

Reference: <https://github.com/crytic/slither/wiki/Detector-Documentation>  
↳ #missing-events-arithmetic

```
KommunitasProject.initialize(address,address,uint256,uint256,uint256,
  ↳ uint256,uint256,uint256[3],uint256[2],uint256,uint256,uint256).
  ↳ _adminProject (Launchpad_Core-main/KommunitasProject.sol#1201)
  ↳ lacks a zero-check on :
    - adminProject = _adminProject (Launchpad_Core-main/
      ↳ KommunitasProject.sol#1223)
```

Reference: <https://github.com/crytic/slither/wiki/Detector-Documentation>  
↳ #missing-zero-address-validation

```
KommunitasProject.initialize(address,address,uint256,uint256,uint256,
  ↳ uint256,uint256,uint256[3],uint256[2],uint256,uint256,uint256) (
  ↳ Launchpad_Core-main/KommunitasProject.sol#1199-1250) has external
  ↳ calls inside a loop: booster[i].price = _price[i - 1].mul(10 **
  ↳ payment.decimals()).div(1e6) (Launchpad_Core-main/
  ↳ KommunitasProject.sol#1236-1238)
```

Reference: <https://github.com/crytic/slither/wiki/Detector-Documentation>  
↳ /#calls-inside-a-loop

Reentrancy in KommunitasProject.buyToken(uint256,address) (  
↳ Launchpad\_Core-main/KommunitasProject.sol#1740-1798):

External calls:

```
- TransferHelper.safeTransferFrom(address(payment),msg.sender,
  ↳ address(this),amountInFinal) (Launchpad_Core-main/
  ↳ KommunitasProject.sol#1767-1772)
```

State variables written after the call(s):

```
- revenue += amountInFinal (Launchpad_Core-main/KommunitasProject
  ↳ .sol#1788)
```

Reentrancy in `KommunitasProject.buyTokenByETH(address[])` (Launchpad\_Core

↪ `-main/KommunitasProject.sol#1600-1664`):

External calls:

- `IWETH(factory.weth()).deposit{value: ethFinal}()` (  
↪ `Launchpad_Core-main/KommunitasProject.sol#1632`)
- `TransferHelper.safeTransferETH(msg.sender,msg.value.sub(  
↪ ethFinal))` (`Launchpad_Core-main/KommunitasProject.sol  
↪ #1635`)
- `buyAmount = swapToAccepted(ethFinal,_path,address(this))` (  
↪ `Launchpad_Core-main/KommunitasProject.sol#1638`)
  - `TransferHelper.safeTransferFrom(path[0],msg.sender,  
↪ UniswapV2Library.pairFor(factory.swapFactory(),path  
↪ [0],path[1]),amounts[0])` (`Launchpad_Core-main/  
↪ KommunitasProject.sol#1913-1918`)
  - `(success,data) = token.call(abi.encodeWithSelector(0  
↪ x23b872dd,from,to,value))` (`Launchpad_Core-main/  
↪ KommunitasProject.sol#795-797`)
  - `assert(bool)(IWETH(factory.weth()).transfer(  
↪ UniswapV2Library.pairFor(factory.swapFactory(),path  
↪ [0],path[1]),amounts[0]))` (`Launchpad_Core-main/  
↪ KommunitasProject.sol#1939-1948`)
  - `IUniswapV2Pair(UniswapV2Library.pairFor(factory.  
↪ swapFactory(),input,output)).swap(amount0Out,  
↪ amount1Out,to,new bytes(0))` (`Launchpad_Core-main/  
↪ KommunitasProject.sol#1891-1893`)

External calls sending eth:

- `IWETH(factory.weth()).deposit{value: ethFinal}()` (  
↪ `Launchpad_Core-main/KommunitasProject.sol#1632`)

State variables written after the `call(s)`:

- `revenue += buyAmount` (`Launchpad_Core-main/KommunitasProject.sol  
↪ #1654`)

Reentrancy in `KommunitasProject.buyTokenByToken(uint256,address[])` (  
↪ `Launchpad_Core-main/KommunitasProject.sol#1671-1733`):

External calls:



```

- buyAmount = swapToAccepted(_amountIn.mul(amountInFinal).div(
  ↳ amountOut),_path,address(this)) (Launchpad_Core-main/
  ↳ KommunitasProject.sol#1703-1707)
  - TransferHelper.safeTransferFrom(path[0],msg.sender,
    ↳ UniswapV2Library.pairFor(factory.swapFactory(),path
    ↳ [0],path[1]),amounts[0]) (Launchpad_Core-main/
    ↳ KommunitasProject.sol#1913-1918)
  - (success,data) = token.call(abi.encodeWithSelector(0
    ↳ x23b872dd,from,to,value)) (Launchpad_Core-main/
    ↳ KommunitasProject.sol#795-797)
  - assert(bool)(IWETH(factory.weth()).transfer(
    ↳ UniswapV2Library.pairFor(factory.swapFactory(),path
    ↳ [0],path[1]),amounts[0])) (Launchpad_Core-main/
    ↳ KommunitasProject.sol#1939-1948)
  - IUniswapV2Pair(UniswapV2Library.pairFor(factory.
    ↳ swapFactory(),input,output)).swap(amount0Out,
    ↳ amount1Out,to,new bytes(0)) (Launchpad_Core-main/
    ↳ KommunitasProject.sol#1891-1893)

```

State variables written after the call(s):

```

- revenue += buyAmount (Launchpad_Core-main/KommunitasProject.sol
  ↳ #1723)

```

**Reentrancy** in KommunitasProject.moveFund() (Launchpad\_Core-main/  
↳ KommunitasProject.sol#1585-1594):

External calls:

```

- payment.transfer(factory.devAddr(),payment.balanceOf(address(
  ↳ this))) (Launchpad_Core-main/KommunitasProject.sol
  ↳ #1588-1591)

```

State variables written after the call(s):

```

- buyEnded = true (Launchpad_Core-main/KommunitasProject.sol
  ↳ #1593)

```

**Reference:** <https://github.com/crytic/slither/wiki/Detector-Documentation>  
↳ #reentrancy-vulnerabilities-2

```

Reentrancy in KommunitasProject.buyToken(uint256,address) (
↳ Launchpad_Core-main/KommunitasProject.sol#1740-1798):
  External calls:
  - TransferHelper.safeTransferFrom(address(payment),msg.sender,
    ↳ address(this),amountInFinal) (Launchpad_Core-main/
    ↳ KommunitasProject.sol#1767-1772)
  Event emitted after the call(s):
  - TokenBought(boosterProgress(),msg.sender,amountInFinal,
    ↳ tokenReceivedFinal) (Launchpad_Core-main/KommunitasProject
    ↳ .sol#1792-1797)
Reentrancy in KommunitasProject.buyTokenByETH(address[]) (Launchpad_Core
↳ -main/KommunitasProject.sol#1600-1664):
  External calls:
  - IWETH(factory.weth()).deposit{value: ethFinal}() (
    ↳ Launchpad_Core-main/KommunitasProject.sol#1632)
  - TransferHelper.safeTransferETH(msg.sender,msg.value.sub(
    ↳ ethFinal)) (Launchpad_Core-main/KommunitasProject.sol
    ↳ #1635)
  - buyAmount = swapToAccepted(ethFinal,_path,address(this)) (
    ↳ Launchpad_Core-main/KommunitasProject.sol#1638)
    - TransferHelper.safeTransferFrom(path[0],msg.sender,
      ↳ UniswapV2Library.pairFor(factory.swapFactory(),path
      ↳ [0],path[1]),amounts[0]) (Launchpad_Core-main/
      ↳ KommunitasProject.sol#1913-1918)
    - (success,data) = token.call(abi.encodeWithSelector(0
      ↳ x23b872dd,from,to,value)) (Launchpad_Core-main/
      ↳ KommunitasProject.sol#795-797)
    - assert(bool)(IWETH(factory.weth()).transfer(
      ↳ UniswapV2Library.pairFor(factory.swapFactory(),path
      ↳ [0],path[1]),amounts[0])) (Launchpad_Core-main/
      ↳ KommunitasProject.sol#1939-1948)
  - IUniswapV2Pair(UniswapV2Library.pairFor(factory.
    ↳ swapFactory(),input,output)).swap(amount0Out,
    ↳ amount1Out,to,new bytes(0)) (Launchpad_Core-main/

```

↪ `KommunitasProject.sol#1891-1893`)

External calls sending eth:

- `IWETH(factory.weth()).deposit{value: ethFinal}()` (  
↪ `Launchpad_Core-main/KommunitasProject.sol#1632`)

Event emitted after the call(s):

- `TokenBought(boosterProgress(),msg.sender,buyAmount,`  
↪ `tokenReceivedFinal)` (`Launchpad_Core-main/KommunitasProject`  
↪ `.sol#1658-1663`)

Reentrancy in `KommunitasProject.buyTokenByToken(uint256,address[])` (  
↪ `Launchpad_Core-main/KommunitasProject.sol#1671-1733`):

External calls:

- `buyAmount = swapToAccepted(_amountIn.mul(amountInFinal).div(  
↪ amountOut),_path,address(this))` (`Launchpad_Core-main/  
↪ KommunitasProject.sol#1703-1707`)
  - `TransferHelper.safeTransferFrom(path[0],msg.sender,`  
↪ `UniswapV2Library.pairFor(factory.swapFactory(),path`  
↪ `[0],path[1]),amounts[0])` (`Launchpad_Core-main/  
↪ KommunitasProject.sol#1913-1918`)
  - `(success,data) = token.call(abi.encodeWithSelector(0  
↪ x23b872dd,from,to,value))` (`Launchpad_Core-main/  
↪ KommunitasProject.sol#795-797`)
  - `assert(bool)(IWETH(factory.weth()).transfer(  
↪ UniswapV2Library.pairFor(factory.swapFactory(),path`  
↪ `[0],path[1]),amounts[0]))` (`Launchpad_Core-main/  
↪ KommunitasProject.sol#1939-1948`)
  - `IUniswapV2Pair(UniswapV2Library.pairFor(factory.  
↪ swapFactory(),input,output)).swap(amount0Out,`  
↪ `amount1Out,to,new bytes(0))` (`Launchpad_Core-main/  
↪ KommunitasProject.sol#1891-1893`)

Event emitted after the call(s):

- `TokenBought(boosterProgress(),msg.sender,buyAmount,`  
↪ `tokenReceivedFinal)` (`Launchpad_Core-main/KommunitasProject`  
↪ `.sol#1727-1732`)

Reference: <https://github.com/crytic/slither/wiki/Detector-Documentation>  
↳ #reentrancy-vulnerabilities-3

KommunitasProject.boosterProgress() (Launchpad\_Core-main/  
↳ KommunitasProject.sol#1393-1403) uses timestamp for comparisons

Dangerous comparisons:

- `block.timestamp >= booster[i].start && block.timestamp <= booster[i].end` (Launchpad\_Core-main/KommunitasProject.sol  
↳ #1397-1398)

KommunitasProject.moveFund() (Launchpad\_Core-main/KommunitasProject.sol  
↳ #1585-1594) uses timestamp for comparisons

Dangerous comparisons:

- `require(bool,string)(block.timestamp > booster[3].end,Still in progress)` (Launchpad\_Core-main/KommunitasProject.sol#1586)

KommunitasProject.setWhitelist\_d6(address[],uint256[]) (Launchpad\_Core-  
↳ main/KommunitasProject.sol#1959-1976) uses timestamp for

↳ comparisons

Dangerous comparisons:

- `require(bool,string)(block.timestamp < calculation,Calculation has been started)` (Launchpad\_Core-main/KommunitasProject.  
↳ sol#1963)

KommunitasProject.setV2Staked() (Launchpad\_Core-main/KommunitasProject.  
↳ sol#1990-1998) uses timestamp for comparisons

Dangerous comparisons:

- `require(bool,string)(block.timestamp >= calculation,Calculation is not started yet)` (Launchpad\_Core-main/  
↳ KommunitasProject.sol#1991-1994)

Reference: <https://github.com/crytic/slither/wiki/Detector-Documentation>  
↳ #block-timestamp

Different versions of Solidity are used:

- Version used: ['0.7.6', '>=0.5.0', '>=0.6.0', '^0.7.0']
- ^0.7.0 (Launchpad\_Core-main/KommunitasProject.sol#3)
- ^0.7.0 (Launchpad\_Core-main/KommunitasProject.sol#26)

- ^0.7.0 (Launchpad\_Core-main/KommunitasProject.sol#115)
- ^0.7.0 (Launchpad\_Core-main/KommunitasProject.sol#285)
- 0.7.6 (Launchpad\_Core-main/KommunitasProject.sol#650)
- 0.7.6 (Launchpad\_Core-main/KommunitasProject.sol#709)
- 0.7.6 (Launchpad\_Core-main/KommunitasProject.sol#717)
- >=0.5.0 (Launchpad\_Core-main/KommunitasProject.sol#744)
- >=0.6.0 (Launchpad\_Core-main/KommunitasProject.sol#754)
- 0.7.6 (Launchpad\_Core-main/KommunitasProject.sol#810)
- 0.7.6 (Launchpad\_Core-main/KommunitasProject.sol#842)
- 0.7.6 (Launchpad\_Core-main/KommunitasProject.sol#953)
- 0.7.6 (Launchpad\_Core-main/KommunitasProject.sol#1082)

**Reference:** <https://github.com/crytic/slither/wiki/Detector-Documentation>

↪ #different-pragma-directives-are-used

Context.\_msgData() (Launchpad\_Core-main/KommunitasProject.sol#20-23) is

↪ never used and should be removed

ERC20.\_burn(address,uint256) (Launchpad\_Core-main/KommunitasProject.sol

↪ #580-591) is never used and should be removed

ERC20.\_mint(address,uint256) (Launchpad\_Core-main/KommunitasProject.sol

↪ #559-567) is never used and should be removed

ERC20.\_setupDecimals(uint8) (Launchpad\_Core-main/KommunitasProject.sol

↪ #625-627) is never used and should be removed

SafeMath.mod(uint256,uint256) (Launchpad\_Core-main/KommunitasProject.sol

↪ #259-261) is never used and should be removed

SafeMath.mod(uint256,uint256,string) (Launchpad\_Core-main/

↪ KommunitasProject.sol#275-282) is never used and should be

↪ removed

TransferHelper.safeApprove(address,address,uint256) (Launchpad\_Core-main

↪ /KommunitasProject.sol#758-771) is never used and should be

↪ removed

TransferHelper.safeTransfer(address,address,uint256) (Launchpad\_Core-

↪ main/KommunitasProject.sol#773-786) is never used and should be

↪ removed

UniswapV2Library.getAmountIn(uint256,uint256,uint256) (Launchpad\_Core-  
↳ main/KommunitasProject.sol#1028-1041) is never used and should be  
↳ removed

UniswapV2Library.getAmountsIn(address,uint256,address[]) (Launchpad\_Core  
↳ -main/KommunitasProject.sol#1063-1079) is never used and should  
↳ be removed

UniswapV2Library.quote(uint256,uint256,uint256) (Launchpad\_Core-main/  
↳ KommunitasProject.sol#997-1008) is never used and should be  
↳ removed

Reference: <https://github.com/crytic/slither/wiki/Detector-Documentation>  
↳ #dead-code

Pragma version^0.7.0 (Launchpad\_Core-main/KommunitasProject.sol#3)  
↳ allows old versions

Pragma version^0.7.0 (Launchpad\_Core-main/KommunitasProject.sol#26)  
↳ allows old versions

Pragma version^0.7.0 (Launchpad\_Core-main/KommunitasProject.sol#115)  
↳ allows old versions

Pragma version^0.7.0 (Launchpad\_Core-main/KommunitasProject.sol#285)  
↳ allows old versions

Pragma version>=0.5.0 (Launchpad\_Core-main/KommunitasProject.sol#744)  
↳ allows old versions

Pragma version>=0.6.0 (Launchpad\_Core-main/KommunitasProject.sol#754)  
↳ allows old versions

Reference: <https://github.com/crytic/slither/wiki/Detector-Documentation>  
↳ #incorrect-versions-of-solidity

Low level call in TransferHelper.safeApprove(address,address,uint256) (  
↳ Launchpad\_Core-main/KommunitasProject.sol#758-771):  
- (success,data) = token.call(abi.encodeWithSelector(0x095ea7b3,  
↳ to,value)) (Launchpad\_Core-main/KommunitasProject.sol  
↳ #764-766)

Low level call in TransferHelper.safeTransfer(address,address,uint256) (  
↳ Launchpad\_Core-main/KommunitasProject.sol#773-786):

```
- (success,data) = token.call(abi.encodeWithSelector(0xa9059cbb,  
  ↪ to,value)) (Launchpad_Core-main/KommunitasProject.sol  
  ↪ #779-781)
```

Low level call in TransferHelper.safeTransferFrom(address,address,  
 ↪ address,uint256) (Launchpad\_Core-main/KommunitasProject.sol  
 ↪ #788-802):

```
- (success,data) = token.call(abi.encodeWithSelector(0x23b872dd,  
  ↪ from,to,value)) (Launchpad_Core-main/KommunitasProject.sol  
  ↪ #795-797)
```

Low level call in TransferHelper.safeTransferETH(address,uint256) (  
 ↪ Launchpad\_Core-main/KommunitasProject.sol#804-807):

```
- (success) = to.call{value: value}(new bytes(0)) (Launchpad_Core  
  ↪ -main/KommunitasProject.sol#805)
```

Reference: <https://github.com/crytic/slither/wiki/Detector-Documentation>  
 ↪ #low-level-calls

```
Function IUniswapV2Pair.DOMAIN_SEPARATOR() (Launchpad_Core-main/  
  ↪ KommunitasProject.sol#877) is not in mixedCase
```

```
Function IUniswapV2Pair.PERMIT_TYPEHASH() (Launchpad_Core-main/  
  ↪ KommunitasProject.sol#879) is not in mixedCase
```

```
Function IUniswapV2Pair.MINIMUM_LIQUIDITY() (Launchpad_Core-main/  
  ↪ KommunitasProject.sol#910) is not in mixedCase
```

```
Parameter KommunitasProject.initialize(address,address,uint256,uint256,  
  ↪ uint256,uint256,uint256,uint256[3],uint256[2],uint256,uint256,  
  ↪ uint256)._payment (Launchpad_Core-main/KommunitasProject.sol  
  ↪ #1200) is not in mixedCase
```

```
Parameter KommunitasProject.initialize(address,address,uint256,uint256,  
  ↪ uint256,uint256,uint256,uint256[3],uint256[2],uint256,uint256,  
  ↪ uint256)._adminProject (Launchpad_Core-main/KommunitasProject.sol  
  ↪ #1201) is not in mixedCase
```

```
Parameter KommunitasProject.initialize(address,address,uint256,uint256,  
  ↪ uint256,uint256,uint256,uint256[3],uint256[2],uint256,uint256,  
  ↪ uint256)._tokenProjectDecimals (Launchpad_Core-main/  
  ↪ KommunitasProject.sol#1202) is not in mixedCase
```

Parameter `KommunitasProject.initialize(address,address,uint256,uint256, uint256,uint256,uint256,uint256[3],uint256[2],uint256,uint256, uint256).` `_sale` (Launchpad\_Core-main/KommunitasProject.sol#1203) is not in mixedCase

Parameter `KommunitasProject.initialize(address,address,uint256,uint256, uint256,uint256,uint256,uint256[3],uint256[2],uint256,uint256, uint256).` `_target` (Launchpad\_Core-main/KommunitasProject.sol#1204) is not in mixedCase

Parameter `KommunitasProject.initialize(address,address,uint256,uint256, uint256,uint256,uint256,uint256[3],uint256[2],uint256,uint256, uint256).` `_calculation` (Launchpad\_Core-main/KommunitasProject.sol #1205) is not in mixedCase

Parameter `KommunitasProject.initialize(address,address,uint256,uint256, uint256,uint256,uint256,uint256[3],uint256[2],uint256,uint256, uint256).` `_start` (Launchpad\_Core-main/KommunitasProject.sol#1206) is not in mixedCase

Parameter `KommunitasProject.initialize(address,address,uint256,uint256, uint256,uint256,uint256,uint256[3],uint256[2],uint256,uint256, uint256).` `_price` (Launchpad\_Core-main/KommunitasProject.sol#1207) is not in mixedCase

Parameter `KommunitasProject.initialize(address,address,uint256,uint256, uint256,uint256,uint256,uint256[3],uint256[2],uint256,uint256, uint256).` `_minMaxPublicBuy` (Launchpad\_Core-main/KommunitasProject. sol#1208) is not in mixedCase

Parameter `KommunitasProject.initialize(address,address,uint256,uint256, uint256,uint256,uint256,uint256[3],uint256[2],uint256,uint256, uint256).` `_tge` (Launchpad\_Core-main/KommunitasProject.sol#1209) is not in mixedCase

Parameter `KommunitasProject.initialize(address,address,uint256,uint256, uint256,uint256,uint256,uint256[3],uint256[2],uint256,uint256, uint256).` `_boosterRunning` (Launchpad\_Core-main/KommunitasProject. sol#1210) is not in mixedCase

Parameter `KommunitasProject.initialize(address,address,uint256,uint256, uint256,uint256,uint256,uint256[3],uint256[2],uint256,uint256, uint256).`



```

    ↪ uint256)._boosterDelay (Launchpad_Core-main/KommunitasProject.sol
    ↪ #1211) is not in mixedCase
Parameter KommunitasProject.getBuyerHistoryLength(address)._buyer (
    ↪ Launchpad_Core-main/KommunitasProject.sol#1271) is not in
    ↪ mixedCase
Parameter KommunitasProject.getUserStakedInfo(KommunitasProject.
    ↪ StakingChoice,address)._choice (Launchpad_Core-main/
    ↪ KommunitasProject.sol#1299) is not in mixedCase
Parameter KommunitasProject.getUserStakedInfo(KommunitasProject.
    ↪ StakingChoice,address)._target (Launchpad_Core-main/
    ↪ KommunitasProject.sol#1299) is not in mixedCase
Function KommunitasProject.getUserAllocation_d8(address) (Launchpad_Core
    ↪ -main/KommunitasProject.sol#1329-1345) is not in mixedCase
Parameter KommunitasProject.getUserAllocation_d8(address)._target (
    ↪ Launchpad_Core-main/KommunitasProject.sol#1329) is not in
    ↪ mixedCase
Parameter KommunitasProject.isBuyer(address)._user (Launchpad_Core-main/
    ↪ KommunitasProject.sol#1351) is not in mixedCase
Parameter KommunitasProject.getAmountOut(address,uint256)._tokenIn (
    ↪ Launchpad_Core-main/KommunitasProject.sol#1361) is not in
    ↪ mixedCase
Parameter KommunitasProject.getAmountOut(address,uint256)._amountIn (
    ↪ Launchpad_Core-main/KommunitasProject.sol#1361) is not in
    ↪ mixedCase
Parameter KommunitasProject.getTotalPurchase(address)._user (
    ↪ Launchpad_Core-main/KommunitasProject.sol#1380) is not in
    ↪ mixedCase
Parameter KommunitasProject.getUserAllocToken(address)._user (
    ↪ Launchpad_Core-main/KommunitasProject.sol#1432) is not in
    ↪ mixedCase
Parameter KommunitasProject.amountInCalc(uint256,uint256,address).
    ↪ _tokenReceived (Launchpad_Core-main/KommunitasProject.sol#1466)
    ↪ is not in mixedCase

```

Parameter `KommunitasProject.amountInCalc(uint256,uint256,address)`.  
↔ `_amountIn` (`Launchpad_Core-main/KommunitasProject.sol#1467`) is not  
↔ in `mixedCase`

Parameter `KommunitasProject.amountInCalc(uint256,uint256,address)._user`  
↔ (`Launchpad_Core-main/KommunitasProject.sol#1468`) is not in  
↔ `mixedCase`

Parameter `KommunitasProject.amountInCalcInner(address,uint256,uint256)`.  
↔ `_user` (`Launchpad_Core-main/KommunitasProject.sol#1511`) is not in  
↔ `mixedCase`

Parameter `KommunitasProject.amountInCalcInner(address,uint256,uint256)`.  
↔ `_tokenReceived` (`Launchpad_Core-main/KommunitasProject.sol#1512`)  
↔ is not in `mixedCase`

Parameter `KommunitasProject.amountInCalcInner(address,uint256,uint256)`.  
↔ `_amountIn` (`Launchpad_Core-main/KommunitasProject.sol#1513`) is not  
↔ in `mixedCase`

Parameter `KommunitasProject.buyTokenByETH(address[])._path` (  
↔ `Launchpad_Core-main/KommunitasProject.sol#1600`) is not in  
↔ `mixedCase`

Parameter `KommunitasProject.buyTokenByToken(uint256,address[])._amountIn`  
↔ (`Launchpad_Core-main/KommunitasProject.sol#1671`) is not in  
↔ `mixedCase`

Parameter `KommunitasProject.buyTokenByToken(uint256,address[])._path` (  
↔ `Launchpad_Core-main/KommunitasProject.sol#1671`) is not in  
↔ `mixedCase`

Parameter `KommunitasProject.buyToken(uint256,address)._amountIn` (  
↔ `Launchpad_Core-main/KommunitasProject.sol#1740`) is not in  
↔ `mixedCase`

Parameter `KommunitasProject.buyToken(uint256,address)._tokenIn` (  
↔ `Launchpad_Core-main/KommunitasProject.sol#1740`) is not in  
↔ `mixedCase`

Parameter `KommunitasProject.setBuyer(address)._user` (`Launchpad_Core-main`  
↔ `/KommunitasProject.sol#1804`) is not in `mixedCase`

Parameter `KommunitasProject.setRecipient(string)._recipient` (  
↔ `Launchpad_Core-main/KommunitasProject.sol#1823`) is not in

↪ mixedCase  
 Parameter `KommunitasProject.swapToAccepted(uint256,address[],address)`.  
 ↪ `_amountIn` (`Launchpad_Core-main/KommunitasProject.sol#1836`) is not  
 ↪ in mixedCase  
 Parameter `KommunitasProject.swapToAccepted(uint256,address[],address)`.  
 ↪ `_path` (`Launchpad_Core-main/KommunitasProject.sol#1837`) is not in  
 ↪ mixedCase  
 Parameter `KommunitasProject.swapToAccepted(uint256,address[],address)`.  
 ↪ `_to` (`Launchpad_Core-main/KommunitasProject.sol#1838`) is not in  
 ↪ mixedCase  
 Function `KommunitasProject.setWhitelist_d6(address[],uint256[])` (  
 ↪ `Launchpad_Core-main/KommunitasProject.sol#1959-1976`) is not in  
 ↪ mixedCase  
 Parameter `KommunitasProject.setWhitelist_d6(address[],uint256[])._user` (  
 ↪ `Launchpad_Core-main/KommunitasProject.sol#1960`) is not in  
 ↪ mixedCase  
 Parameter `KommunitasProject.setWhitelist_d6(address[],uint256[])`.  
 ↪ `_allocation` (`Launchpad_Core-main/KommunitasProject.sol#1961`) is  
 ↪ not in mixedCase  
 Parameter `KommunitasProject.setTge(uint256)._tge` (`Launchpad_Core-main/  
 ↪ KommunitasProject.sol#1981`) is not in mixedCase  
 Parameter `KommunitasProject.transferOwnership(address)._newOwner` (  
 ↪ `Launchpad_Core-main/KommunitasProject.sol#2000`) is not in  
 ↪ mixedCase  
**Reference:** <https://github.com/crytic/slither/wiki/Detector-Documentation>  
 ↪ `#conformance-to-solidity-naming-conventions`  
  
 Redundant expression `"this` (`Launchpad_Core-main/KommunitasProject.sol  
 ↪ #21`)" inContext (`Launchpad_Core-main/KommunitasProject.sol#15-24`)  
**Reference:** <https://github.com/crytic/slither/wiki/Detector-Documentation>  
 ↪ `#redundant-statements`  
  
 Variable `KommunitasProject.getUserAllocation_d8(address).userV1Staked` (  
 ↪ `Launchpad_Core-main/KommunitasProject.sol#1334`) is too similar to

```
↪ KommunitasProject.getUserAllocation_d8(address).userV2Staked (
↪ Launchpad_Core-main/KommunitasProject.sol#1338)
Variable KommunitasProject.getUserAllocation_d8(address).v1TotalStaked (
↪ Launchpad_Core-main/KommunitasProject.sol#1334) is too similar to
↪ KommunitasProject.getUserAllocation_d8(address).v2TotalStaked (
↪ Launchpad_Core-main/KommunitasProject.sol#1338)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation
↪ #variable-names-are-too-similar
```

name() should be declared external:

```
- ERC20.name() (Launchpad_Core-main/KommunitasProject.sol
↪ #342-344)
```

symbol() should be declared external:

```
- ERC20.symbol() (Launchpad_Core-main/KommunitasProject.sol
↪ #350-352)
```

decimals() should be declared external:

```
- ERC20.decimals() (Launchpad_Core-main/KommunitasProject.sol
↪ #367-369)
```

totalSupply() should be declared external:

```
- ERC20.totalSupply() (Launchpad_Core-main/KommunitasProject.sol
↪ #374-376)
```

balanceOf(address) should be declared external:

```
- ERC20.balanceOf(address) (Launchpad_Core-main/KommunitasProject
↪ .sol#381-383)
```

transfer(address,uint256) should be declared external:

```
- ERC20.transfer(address,uint256) (Launchpad_Core-main/
↪ KommunitasProject.sol#393-401)
```

allowance(address,address) should be declared external:

```
- ERC20.allowance(address,address) (Launchpad_Core-main/
↪ KommunitasProject.sol#406-414)
```

approve(address,uint256) should be declared external:

```
- ERC20.approve(address,uint256) (Launchpad_Core-main/
↪ KommunitasProject.sol#423-431)
```

transferFrom(address,address,uint256) should be declared external:

- ERC20.transferFrom(address,address,uint256) (Launchpad\_Core-  
↳ main/KommunitasProject.sol#446-461)

increaseAllowance(address,uint256) should be declared external:

- ERC20.increaseAllowance(address,uint256) (Launchpad\_Core-main/  
↳ KommunitasProject.sol#475-486)

decreaseAllowance(address,uint256) should be declared external:

- ERC20.decreaseAllowance(address,uint256) (Launchpad\_Core-main/  
↳ KommunitasProject.sol#502-516)

initialize(address,address,uint256,uint256,uint256,uint256,uint256,  
↳ uint256[3],uint256[2],uint256,uint256,uint256) should be declared  
↳ external:

- KommunitasProject.initialize(address,address,uint256,uint256,  
↳ uint256,uint256,uint256,uint256[3],uint256[2],uint256,  
↳ uint256,uint256) (Launchpad\_Core-main/KommunitasProject.  
↳ sol#1199-1250)

getWhitelistLength() should be declared external:

- KommunitasProject.getWhitelistLength() (Launchpad\_Core-main/  
↳ KommunitasProject.sol#1257-1259)

getBuyersLength() should be declared external:

- KommunitasProject.getBuyersLength() (Launchpad\_Core-main/  
↳ KommunitasProject.sol#1264-1266)

getBuyerHistoryLength(address) should be declared external:

- KommunitasProject.getBuyerHistoryLength(address) (  
↳ Launchpad\_Core-main/KommunitasProject.sol#1271-1277)

getTotalPurchase(address) should be declared external:

- KommunitasProject.getTotalPurchase(address) (Launchpad\_Core-  
↳ main/KommunitasProject.sol#1380-1388)

moveFund() should be declared external:

- KommunitasProject.moveFund() (Launchpad\_Core-main/  
↳ KommunitasProject.sol#1585-1594)

buyTokenByETH(address[]) should be declared external:

- KommunitasProject.buyTokenByETH(address[]) (Launchpad\_Core-main  
↳ /KommunitasProject.sol#1600-1664)

buyTokenByToken(uint256,address[]) should be declared external:

- `KommunitasProject.buyTokenByToken(uint256,address[])` (
  - ↳ `Launchpad_Core-main/KommunitasProject.sol#1671-1733`)`buyToken(uint256,address)` should be declared `external`:
  - `KommunitasProject.buyToken(uint256,address)` (`Launchpad_Core-`
    - ↳ `main/KommunitasProject.sol#1740-1798`)`setRecipient(string)` should be declared `external`:
    - `KommunitasProject.setRecipient(string)` (`Launchpad_Core-main/`
      - ↳ `KommunitasProject.sol#1823-1827`)`setWhitelist_d6(address[],uint256[])` should be declared `external`:
      - `KommunitasProject.setWhitelist_d6(address[],uint256[])` (
        - ↳ `Launchpad_Core-main/KommunitasProject.sol#1959-1976`)`setTge(uint256)` should be declared `external`:
        - `KommunitasProject.setTge(uint256)` (`Launchpad_Core-main/`
          - ↳ `KommunitasProject.sol#1981-1985`)`setV2Staked()` should be declared `external`:
          - `KommunitasProject.setV2Staked()` (`Launchpad_Core-main/`
            - ↳ `KommunitasProject.sol#1990-1998`)`transferOwnership(address)` should be declared `external`:
            - `KommunitasProject.transferOwnership(address)` (`Launchpad_Core-`
              - ↳ `main/KommunitasProject.sol#2000-2003`)`togglePause()` should be declared `external`:
              - `KommunitasProject.togglePause()` (`Launchpad_Core-main/`
                - ↳ `KommunitasProject.sol#2005-2007`)

**Reference:** <https://github.com/crytic/slither/wiki/Detector-Documentation>  
 ↳ `#public-function-that-could-be-declared-external`

`Launchpad_Core-main/KommunitasProject.sol` analyzed (13 `contracts` with 78  
 ↳ `detectors`), 119 result(s) found

Compilation warnings/errors on `Launchpad_Core-main/KommunitasFactory.sol`  
 ↳ :

Warning: `Contract` code size exceeds 24576 `bytes` (a limit introduced in  
 ↳ `Spurious Dragon`). `This contract` may not be deployable on mainnet.  
 ↳ Consider enabling the optimizer (with a low "runs" value!),  
 ↳ turning off `revert` strings, or using libraries.

```

--> Launchpad_Core-main/KommunitasFactory.sol:1084:1:
|
1084 | contract KommunitasProject {
| ^ (Relevant source part starts here and spans across multiple
    ↪ lines).

```

Warning: Contract code size exceeds 24576 bytes (a limit introduced in ↪ Spurious Dragon). This contract may not be deployable on mainnet.  
 ↪ Consider enabling the optimizer (with a low "runs" value!),  
 ↪ turning off revert strings, or using libraries.

```

--> Launchpad_Core-main/KommunitasFactory.sol:2004:1:
|
2004 | contract KommunitasFactory is IKommunitasFactory {
| ^ (Relevant source part starts here and spans across multiple
    ↪ lines).

```

Reentrancy in KommunitasProject.buyTokenByETH(address[]) (Launchpad\_Core ↪ -main/KommunitasFactory.sol#1598-1662):

External calls:

- IWETH(factory.weth()).deposit{value: ethFinal}() (
 ↪ Launchpad\_Core-main/KommunitasFactory.sol#1630)
- TransferHelper.safeTransferETH(msg.sender,msg.value.sub(
 ↪ ethFinal)) (Launchpad\_Core-main/KommunitasFactory.sol
 ↪ #1633)
- buyAmount = swapToAccepted(ethFinal,\_path,address(this)) (
 ↪ Launchpad\_Core-main/KommunitasFactory.sol#1636)
  - (success,data) = token.call(abi.encodeWithSelector(0
 ↪ x23b872dd,from,to,value)) (Launchpad\_Core-main/
 ↪ KommunitasFactory.sol#795-797)
  - TransferHelper.safeTransferFrom(path[0],msg.sender,
 ↪ UniswapV2Library.pairFor(factory.swapFactory(),path
 ↪ [0],path[1]),amounts[0]) (Launchpad\_Core-main/

```

    ↪ KommunitasFactory.sol#1907-1912)
- assert(bool)(IWETH(factory.weth()).transfer(
    ↪ UniswapV2Library.pairFor(factory.swapFactory(),path
    ↪ [0],path[1]),amounts[0])) (Launchpad_Core-main/
    ↪ KommunitasFactory.sol#1933-1942)
- IUniswapV2Pair(UniswapV2Library.pairFor(factory.
    ↪ swapFactory(),input,output)).swap(amount0Out,
    ↪ amount1Out,to,new bytes(0)) (Launchpad_Core-main/
    ↪ KommunitasFactory.sol#1885-1887)

```

External calls sending eth:

```

- IWETH(factory.weth()).deposit{value: ethFinal}() (
    ↪ Launchpad_Core-main/KommunitasFactory.sol#1630)

```

State variables written after the call(s):

```

- booster[boosterProgress()].achieve += tokenReceivedFinal (
    ↪ Launchpad_Core-main/KommunitasFactory.sol#1654)
- invoices[msg.sender].push(Invoice(buyerId,boosterProgress(),
    ↪ block.timestamp,buyAmount,tokenReceivedFinal)) (
    ↪ Launchpad_Core-main/KommunitasFactory.sol#1642-1650)
- publicBought[msg.sender] = true (Launchpad_Core-main/
    ↪ KommunitasFactory.sol#1639)
- purchasePerRound[msg.sender][boosterProgress()] +=
    ↪ tokenReceivedFinal (Launchpad_Core-main/KommunitasFactory.
    ↪ sol#1653)

```

Reference: <https://github.com/crytic/slither/wiki/Detector-Documentation>  
 ↪ #reentrancy-vulnerabilities

```

KommunitasProject.moveFund() (Launchpad_Core-main/KommunitasFactory.sol
    ↪ #1583-1592) ignores return value by payment.transfer(factory.
    ↪ devAddr(),payment.balanceOf(address(this))) (Launchpad_Core-main/
    ↪ KommunitasFactory.sol#1586-1589)

```

Reference: <https://github.com/crytic/slither/wiki/Detector-Documentation>  
 ↪ #unchecked-transfer



KommunitasProject.amountInCalcInner(address,uint256,uint256) (
 ↪ Launchpad\_Core-main/KommunitasFactory.sol#1508-1555) performs a
 ↪ multiplication on the result of a division:
 -amountInFinal = (getUserAllocToken(\_user).sub(purchasePerRound[
 ↪ \_user][boosterProgress()])).mul(booster[boosterProgress()
 ↪ ].price).div(10 \*\* tokenProjectDecimals) (Launchpad\_Core-
 ↪ main/KommunitasFactory.sol#1528-1534)
 -tokenReceivedFinal = amountInFinal.mul(10 \*\*
 ↪ tokenProjectDecimals).div(booster[boosterProgress()].price
 ↪ ) (Launchpad\_Core-main/KommunitasFactory.sol#1552-1554)
 Reference: <https://github.com/crytic/slither/wiki/Detector-Documentation>
 ↪ #divide-before-multiply

Reentrancy in KommunitasProject.buyToken(uint256,address) (
 ↪ Launchpad\_Core-main/KommunitasFactory.sol#1738-1796):
 External calls:
 - TransferHelper.safeTransferFrom(address(payment),msg.sender,
 ↪ address(this),amountInFinal) (Launchpad\_Core-main/
 ↪ KommunitasFactory.sol#1765-1770)
 State variables written after the call(s):
 - booster[boosterProgress()].achieve += tokenReceivedFinal (
 ↪ Launchpad\_Core-main/KommunitasFactory.sol#1788)
 - invoices[msg.sender].push(Invoice(buyerId,boosterProgress(),
 ↪ block.timestamp,amountInFinal,tokenReceivedFinal)) (
 ↪ Launchpad\_Core-main/KommunitasFactory.sol#1776-1784)
 - publicBought[msg.sender] = true (Launchpad\_Core-main/
 ↪ KommunitasFactory.sol#1773)
 - purchasePerRound[msg.sender][boosterProgress()] +=
 ↪ tokenReceivedFinal (Launchpad\_Core-main/KommunitasFactory.
 ↪ sol#1787)

Reentrancy in KommunitasProject.buyTokenByToken(uint256,address[]) (
 ↪ Launchpad\_Core-main/KommunitasFactory.sol#1669-1731):
 External calls:

```

- buyAmount = swapToAccepted(_amountIn.mul(amountInFinal).div(
  ↳ amountOut),_path,address(this)) (Launchpad_Core-main/
  ↳ KommunitasFactory.sol#1701-1705)
  - (success,data) = token.call(abi.encodeWithSelector(0
    ↳ x23b872dd,from,to,value)) (Launchpad_Core-main/
    ↳ KommunitasFactory.sol#795-797)
  - TransferHelper.safeTransferFrom(path[0],msg.sender,
    ↳ UniswapV2Library.pairFor(factory.swapFactory(),path
    ↳ [0],path[1]),amounts[0]) (Launchpad_Core-main/
    ↳ KommunitasFactory.sol#1907-1912)
  - assert(bool)(IWETH(factory.weth()).transfer(
    ↳ UniswapV2Library.pairFor(factory.swapFactory(),path
    ↳ [0],path[1]),amounts[0])) (Launchpad_Core-main/
    ↳ KommunitasFactory.sol#1933-1942)
  - IUniswapV2Pair(UniswapV2Library.pairFor(factory.
    ↳ swapFactory(),input,output)).swap(amount0Out,
    ↳ amount1Out,to,new bytes(0)) (Launchpad_Core-main/
    ↳ KommunitasFactory.sol#1885-1887)

```

State variables written after the call(s):

```

- booster[boosterProgress()].achieve += tokenReceivedFinal (
  ↳ Launchpad_Core-main/KommunitasFactory.sol#1723)
- invoices[msg.sender].push(Invoice(buyerId,boosterProgress(),
  ↳ block.timestamp,buyAmount,tokenReceivedFinal)) (
  ↳ Launchpad_Core-main/KommunitasFactory.sol#1711-1719)
- publicBought[msg.sender] = true (Launchpad_Core-main/
  ↳ KommunitasFactory.sol#1708)
- purchasePerRound[msg.sender][boosterProgress()] +=
  ↳ tokenReceivedFinal (Launchpad_Core-main/KommunitasFactory.
  ↳ sol#1722)

```

Reference: <https://github.com/crytic/slither/wiki/Detector-Documentation>  
 ↳ #reentrancy-vulnerabilities-1

UniswapV2Library.getAmountsOut(address,uint256,address[]).i (
 ↳ Launchpad\_Core-main/KommunitasFactory.sol#1052) is a local

↪ variable never initialized

KommunitasProject.\_swap(uint256[],address[],address).i (Launchpad\_Core-

↪ main/KommunitasFactory.sol#1871) is a local variable never

↪ initialized

**Reference:** <https://github.com/crytic/slither/wiki/Detector-Documentation>

↪ #uninitialized-local-variables

KommunitasProject.transferOwnership(address) (Launchpad\_Core-main/

↪ KommunitasFactory.sol#1992-1995) should emit an event for:

- owner = \_newOwner (Launchpad\_Core-main/KommunitasFactory.sol

↪ #1994)

KommunitasFactory.transferOwnership(address) (Launchpad\_Core-main/

↪ KommunitasFactory.sol#2128-2131) should emit an event for:

- owner = \_newOwner (Launchpad\_Core-main/KommunitasFactory.sol

↪ #2130)

**Reference:** <https://github.com/crytic/slither/wiki/Detector-Documentation>

↪ #missing-events-access-control

KommunitasProject.initialize(address,address,uint256,uint256,uint256,

↪ uint256,uint256,uint256[3],uint256[2],uint256,uint256,uint256) (

↪ Launchpad\_Core-main/KommunitasFactory.sol#1199-1249) should emit

↪ an event for:

- tokenProjectDecimals = \_tokenProjectDecimals (Launchpad\_Core-

↪ main/KommunitasFactory.sol#1223)

- sale = \_sale (Launchpad\_Core-main/KommunitasFactory.sol#1224)

- calculation = \_calculation (Launchpad\_Core-main/

↪ KommunitasFactory.sol#1226)

- minPublicBuy = \_minMaxPublicBuy[0].mul(10 \*\*

↪ tokenProjectDecimals) (Launchpad\_Core-main/

↪ KommunitasFactory.sol#1247)

- maxPublicBuy = \_minMaxPublicBuy[1].mul(10 \*\*

↪ tokenProjectDecimals) (Launchpad\_Core-main/

↪ KommunitasFactory.sol#1248)

Reference: <https://github.com/crytic/slither/wiki/Detector-Documentation>

↪ #missing-events-arithmetic

KommunitasProject.initialize(address,address,uint256,uint256,uint256,

↪ uint256,uint256,uint256[3],uint256[2],uint256,uint256,uint256).

↪ \_adminProject (Launchpad\_Core-main/KommunitasFactory.sol#1201)

↪ lacks a zero-check on :

- adminProject = \_adminProject (Launchpad\_Core-main/

↪ KommunitasFactory.sol#1222)

KommunitasFactory.constructor(address,address,address,address,address).

↪ \_swapFactory (Launchpad\_Core-main/KommunitasFactory.sol#2029)

↪ lacks a zero-check on :

- swapFactory = \_swapFactory (Launchpad\_Core-main/

↪ KommunitasFactory.sol#2037)

KommunitasFactory.constructor(address,address,address,address,address).

↪ \_weth (Launchpad\_Core-main/KommunitasFactory.sol#2030) lacks a

↪ zero-check on :

- weth = \_weth (Launchpad\_Core-main/KommunitasFactory.sol

↪ #2038)

KommunitasFactory.constructor(address,address,address,address,address).

↪ \_devAddr (Launchpad\_Core-main/KommunitasFactory.sol#2031) lacks a

↪ zero-check on :

- devAddr = \_devAddr (Launchpad\_Core-main/

↪ KommunitasFactory.sol#2039)

KommunitasFactory.constructor(address,address,address,address,address).

↪ \_stakingV1 (Launchpad\_Core-main/KommunitasFactory.sol#2032) lacks

↪ a zero-check on :

- stakingV1 = \_stakingV1 (Launchpad\_Core-main/

↪ KommunitasFactory.sol#2040)

KommunitasFactory.constructor(address,address,address,address,address).

↪ \_stakingV2 (Launchpad\_Core-main/KommunitasFactory.sol#2033) lacks

↪ a zero-check on :

- stakingV2 = \_stakingV2 (Launchpad\_Core-main/

↪ KommunitasFactory.sol#2041)

**Reference:** <https://github.com/crytic/slither/wiki/Detector-Documentation>  
↳ #missing-zero-address-validation

```
KommunitasProject.initialize(address,address,uint256,uint256,uint256,  
↳ uint256,uint256,uint256[3],uint256[2],uint256,uint256,uint256) (  
↳ Launchpad_Core-main/KommunitasFactory.sol#1199-1249) has external  
↳ calls inside a loop: booster[i].price = _price[i - 1].mul(10 **  
↳ payment.decimals()).div(1e6) (Launchpad_Core-main/  
↳ KommunitasFactory.sol#1235-1237)
```

**Reference:** <https://github.com/crytic/slither/wiki/Detector-Documentation>  
↳ /#calls-inside-a-loop

**Reentrancy** in `KommunitasProject.buyToken(uint256,address)` (  
↳ `Launchpad_Core-main/KommunitasFactory.sol#1738-1796`):  
External calls:  
- `TransferHelper.safeTransferFrom(address(payment),msg.sender,  
↳ address(this),amountInFinal)` (`Launchpad_Core-main/  
↳ KommunitasFactory.sol#1765-1770`)  
State variables written after the call(s):  
- `revenue += amountInFinal` (`Launchpad_Core-main/KommunitasFactory  
↳ .sol#1786`)

**Reentrancy** in `KommunitasProject.buyTokenByETH(address[])` (`Launchpad_Core  
↳ -main/KommunitasFactory.sol#1598-1662`):  
External calls:  
- `IWETH(factory.weth()).deposit{value: ethFinal}()` (  
↳ `Launchpad_Core-main/KommunitasFactory.sol#1630`)  
- `TransferHelper.safeTransferETH(msg.sender,msg.value.sub(  
↳ ethFinal))` (`Launchpad_Core-main/KommunitasFactory.sol  
↳ #1633`)  
- `buyAmount = swapToAccepted(ethFinal,_path,address(this))` (  
↳ `Launchpad_Core-main/KommunitasFactory.sol#1636`)  
- `(success,data) = token.call(abi.encodeWithSelector(0  
↳ x23b872dd,from,to,value))` (`Launchpad_Core-main/  
↳ KommunitasFactory.sol#795-797`)

```

- TransferHelper.safeTransferFrom(path[0],msg.sender,
  ↳ UniswapV2Library.pairFor(factory.swapFactory(),path
  ↳ [0],path[1]),amounts[0]) (Launchpad_Core-main/
  ↳ KommunitasFactory.sol#1907-1912)
- assert(bool)(IWETH(factory.weth()).transfer(
  ↳ UniswapV2Library.pairFor(factory.swapFactory(),path
  ↳ [0],path[1]),amounts[0])) (Launchpad_Core-main/
  ↳ KommunitasFactory.sol#1933-1942)
- IUniswapV2Pair(UniswapV2Library.pairFor(factory.
  ↳ swapFactory(),input,output)).swap(amount0Out,
  ↳ amount1Out,to,new bytes(0)) (Launchpad_Core-main/
  ↳ KommunitasFactory.sol#1885-1887)

```

External calls sending eth:

```

- IWETH(factory.weth()).deposit{value: ethFinal}() (
  ↳ Launchpad_Core-main/KommunitasFactory.sol#1630)

```

State variables written after the call(s):

```

- revenue += buyAmount (Launchpad_Core-main/KommunitasFactory.sol
  ↳ #1652)

```

```

Reentrancy in KommunitasProject.buyTokenByToken(uint256,address[]) (
  ↳ Launchpad_Core-main/KommunitasFactory.sol#1669-1731):

```

External calls:

```

- buyAmount = swapToAccepted(_amountIn.mul(amountInFinal).div(
  ↳ amountOut),_path,address(this)) (Launchpad_Core-main/
  ↳ KommunitasFactory.sol#1701-1705)
  - (success,data) = token.call(abi.encodeWithSelector(0
    ↳ x23b872dd,from,to,value)) (Launchpad_Core-main/
    ↳ KommunitasFactory.sol#795-797)
- TransferHelper.safeTransferFrom(path[0],msg.sender,
  ↳ UniswapV2Library.pairFor(factory.swapFactory(),path
  ↳ [0],path[1]),amounts[0]) (Launchpad_Core-main/
  ↳ KommunitasFactory.sol#1907-1912)
- assert(bool)(IWETH(factory.weth()).transfer(
  ↳ UniswapV2Library.pairFor(factory.swapFactory(),path
  ↳ [0],path[1]),amounts[0])) (Launchpad_Core-main/

```

```
↪ KommunitasFactory.sol#1933-1942
- IUniswapV2Pair(UniswapV2Library.pairFor(factory.
  ↪ swapFactory(),input,output)).swap(amount0Out,
  ↪ amount1Out,to,new bytes(0)) (Launchpad_Core-main/
  ↪ KommunitasFactory.sol#1885-1887)
```

State variables written after the call(s):

```
- revenue += buyAmount (Launchpad_Core-main/KommunitasFactory.sol
  ↪ #1721)
```

Reentrancy in KommunitasProject.moveFund() (Launchpad\_Core-main/  
↪ KommunitasFactory.sol#1583-1592):

External calls:

```
- payment.transfer(factory.devAddr(),payment.balanceOf(address(
  ↪ this))) (Launchpad_Core-main/KommunitasFactory.sol
  ↪ #1586-1589)
```

State variables written after the call(s):

```
- buyEnded = true (Launchpad_Core-main/KommunitasFactory.sol
  ↪ #1591)
```

Reference: <https://github.com/crytic/slither/wiki/Detector-Documentation>  
↪ #reentrancy-vulnerabilities-2

Reentrancy in KommunitasProject.buyToken(uint256,address) (  
↪ Launchpad\_Core-main/KommunitasFactory.sol#1738-1796):

External calls:

```
- TransferHelper.safeTransferFrom(address(payment),msg.sender,
  ↪ address(this),amountInFinal) (Launchpad_Core-main/
  ↪ KommunitasFactory.sol#1765-1770)
```

Event emitted after the call(s):

```
- TokenBought(boosterProgress(),msg.sender,amountInFinal,
  ↪ tokenReceivedFinal) (Launchpad_Core-main/KommunitasFactory
  ↪ .sol#1790-1795)
```

Reentrancy in KommunitasProject.buyTokenByETH(address[]) (Launchpad\_Core  
↪ -main/KommunitasFactory.sol#1598-1662):

External calls:

```

- IWETH(factory.weth()).deposit{value: ethFinal}() (
  ↪ Launchpad_Core-main/KommunitasFactory.sol#1630)
- TransferHelper.safeTransferETH(msg.sender,msg.value.sub(
  ↪ ethFinal)) (Launchpad_Core-main/KommunitasFactory.sol
  ↪ #1633)
- buyAmount = swapToAccepted(ethFinal,_path,address(this)) (
  ↪ Launchpad_Core-main/KommunitasFactory.sol#1636)
  - (success,data) = token.call(abi.encodeWithSelector(0
    ↪ x23b872dd,from,to,value)) (Launchpad_Core-main/
    ↪ KommunitasFactory.sol#795-797)
  - TransferHelper.safeTransferFrom(path[0],msg.sender,
    ↪ UniswapV2Library.pairFor(factory.swapFactory(),path
    ↪ [0],path[1]),amounts[0]) (Launchpad_Core-main/
    ↪ KommunitasFactory.sol#1907-1912)
  - assert(bool)(IWETH(factory.weth()).transfer(
    ↪ UniswapV2Library.pairFor(factory.swapFactory(),path
    ↪ [0],path[1]),amounts[0])) (Launchpad_Core-main/
    ↪ KommunitasFactory.sol#1933-1942)
  - IUniswapV2Pair(UniswapV2Library.pairFor(factory.
    ↪ swapFactory(),input,output)).swap(amount0Out,
    ↪ amount1Out,to,new bytes(0)) (Launchpad_Core-main/
    ↪ KommunitasFactory.sol#1885-1887)

```

External calls sending eth:

```

- IWETH(factory.weth()).deposit{value: ethFinal}() (
  ↪ Launchpad_Core-main/KommunitasFactory.sol#1630)

```

Event emitted after the call(s):

```

- TokenBought(boosterProgress(),msg.sender,buyAmount,
  ↪ tokenReceivedFinal) (Launchpad_Core-main/KommunitasFactory
  ↪ .sol#1656-1661)

```

Reentrancy in KommunitasProject.buyTokenByToken(uint256,address[]) (
 ↪ Launchpad\_Core-main/KommunitasFactory.sol#1669-1731):

External calls:

```

- buyAmount = swapToAccepted(_amountIn.mul(amountInFinal).div(
  ↪ amountOut),_path,address(this)) (Launchpad_Core-main/

```



```

↳ KommunitasFactory.sol#1701-1705
  - (success,data) = token.call(abi.encodeWithSelector(0
    ↳ x23b872dd,from,to,value)) (Launchpad_Core-main/
    ↳ KommunitasFactory.sol#795-797)
  - TransferHelper.safeTransferFrom(path[0],msg.sender,
    ↳ UniswapV2Library.pairFor(factory.swapFactory(),path
    ↳ [0],path[1]),amounts[0]) (Launchpad_Core-main/
    ↳ KommunitasFactory.sol#1907-1912)
  - assert(bool)(IWETH(factory.weth()).transfer(
    ↳ UniswapV2Library.pairFor(factory.swapFactory(),path
    ↳ [0],path[1]),amounts[0])) (Launchpad_Core-main/
    ↳ KommunitasFactory.sol#1933-1942)
  - IUniswapV2Pair(UniswapV2Library.pairFor(factory.
    ↳ swapFactory(),input,output)).swap(amount0Out,
    ↳ amount1Out,to,new bytes(0)) (Launchpad_Core-main/
    ↳ KommunitasFactory.sol#1885-1887)

```

Event emitted after the call(s):

```

- TokenBought(boosterProgress(),msg.sender,buyAmount,
  ↳ tokenReceivedFinal) (Launchpad_Core-main/KommunitasFactory
  ↳ .sol#1725-1730)

```

Reentrancy in KommunitasFactory.createProject(address,address,uint256,  
 ↳ uint256,uint256,uint256,uint256,uint256[3],uint256[2],uint256,  
 ↳ uint256,uint256) (Launchpad\_Core-main/KommunitasFactory.sol  
 ↳ #2073-2122):

External calls:

```

- KommunitasProject(getProject[_adminProject]).initialize(
  ↳ _payment,_adminProject,_tokenProjectDecimals,_sale,_target
  ↳ ,_calculation,_start,_price,_minMaxPublicBuy,_tge,
  ↳ _boosterRunning,_boosterDelay) (Launchpad_Core-main/
  ↳ KommunitasFactory.sol#2106-2119)

```

Event emitted after the call(s):

```

- ProjectCreated(_adminProject,project,allProjects.length - 1) (
  ↳ Launchpad_Core-main/KommunitasFactory.sol#2121)

```

**Reference:** <https://github.com/crytic/slither/wiki/Detector-Documentation>  
↳ #reentrancy-vulnerabilities-3

KommunitasProject.boosterProgress() (Launchpad\_Core-main/  
↳ KommunitasFactory.sol#1392-1402) uses timestamp for comparisons

**Dangerous comparisons:**

- `block.timestamp >= booster[i].start && block.timestamp <= booster[i].end` (Launchpad\_Core-main/KommunitasFactory.sol  
↳ #1396-1397)

KommunitasProject.moveFund() (Launchpad\_Core-main/KommunitasFactory.sol  
↳ #1583-1592) uses timestamp for comparisons

**Dangerous comparisons:**

- `require(bool,string)(block.timestamp > booster[3].end,Still in progress)` (Launchpad\_Core-main/KommunitasFactory.sol#1584)

KommunitasProject.setWhitelist\_d6(address[],uint256[]) (Launchpad\_Core-  
↳ main/KommunitasFactory.sol#1953-1969) uses timestamp for

↳ comparisons

**Dangerous comparisons:**

- `require(bool,string)(block.timestamp < calculation,Calculation has been started)` (Launchpad\_Core-main/KommunitasFactory.  
↳ sol#1957)

KommunitasProject.setV2Staked() (Launchpad\_Core-main/KommunitasFactory.  
↳ sol#1982-1990) uses timestamp for comparisons

**Dangerous comparisons:**

- `require(bool,string)(block.timestamp >= calculation,Calculation is not started yet)` (Launchpad\_Core-main/  
↳ KommunitasFactory.sol#1983-1986)

**Reference:** <https://github.com/crytic/slither/wiki/Detector-Documentation>  
↳ #block-timestamp

Different versions of Solidity are used:

- Version used: ['0.7.6', '>=0.5.0', '>=0.6.0', '^0.7.0']
- ^0.7.0 (Launchpad\_Core-main/KommunitasFactory.sol#3)
- ^0.7.0 (Launchpad\_Core-main/KommunitasFactory.sol#26)

- ^0.7.0 (Launchpad\_Core-main/KommunitasFactory.sol#115)
- ^0.7.0 (Launchpad\_Core-main/KommunitasFactory.sol#285)
- 0.7.6 (Launchpad\_Core-main/KommunitasFactory.sol#650)
- 0.7.6 (Launchpad\_Core-main/KommunitasFactory.sol#709)
- 0.7.6 (Launchpad\_Core-main/KommunitasFactory.sol#717)
- >=0.5.0 (Launchpad\_Core-main/KommunitasFactory.sol#744)
- >=0.6.0 (Launchpad\_Core-main/KommunitasFactory.sol#754)
- 0.7.6 (Launchpad\_Core-main/KommunitasFactory.sol#810)
- 0.7.6 (Launchpad\_Core-main/KommunitasFactory.sol#842)
- 0.7.6 (Launchpad\_Core-main/KommunitasFactory.sol#953)
- 0.7.6 (Launchpad\_Core-main/KommunitasFactory.sol#1082)
- 0.7.6 (Launchpad\_Core-main/KommunitasFactory.sol#2002)

**Reference:** <https://github.com/crytic/slither/wiki/Detector-Documentation>

↪ #different-pragma-directives-are-used

`Context._msgData()` (Launchpad\_Core-main/KommunitasFactory.sol#20-23) is

↪ never used and should be removed

`ERC20._burn(address,uint256)` (Launchpad\_Core-main/KommunitasFactory.sol

↪ #580-591) is never used and should be removed

`ERC20._mint(address,uint256)` (Launchpad\_Core-main/KommunitasFactory.sol

↪ #559-567) is never used and should be removed

`ERC20._setupDecimals(uint8)` (Launchpad\_Core-main/KommunitasFactory.sol

↪ #625-627) is never used and should be removed

`SafeMath.mod(uint256,uint256)` (Launchpad\_Core-main/KommunitasFactory.sol

↪ #259-261) is never used and should be removed

`SafeMath.mod(uint256,uint256,string)` (Launchpad\_Core-main/

↪ KommunitasFactory.sol#275-282) is never used and should be

↪ removed

`TransferHelper.safeApprove(address,address,uint256)` (Launchpad\_Core-main

↪ /KommunitasFactory.sol#758-771) is never used and should be

↪ removed

`TransferHelper.safeTransfer(address,address,uint256)` (Launchpad\_Core-

↪ main/KommunitasFactory.sol#773-786) is never used and should be

↪ removed

UniswapV2Library.getAmountIn(uint256,uint256,uint256) (Launchpad\_Core-  
↳ main/KommunitasFactory.sol#1028-1041) is never used and should be  
↳ removed

UniswapV2Library.getAmountsIn(address,uint256,address[]) (Launchpad\_Core  
↳ -main/KommunitasFactory.sol#1063-1079) is never used and should  
↳ be removed

UniswapV2Library.quote(uint256,uint256,uint256) (Launchpad\_Core-main/  
↳ KommunitasFactory.sol#997-1008) is never used and should be  
↳ removed

Reference: <https://github.com/crytic/slither/wiki/Detector-Documentation>  
↳ #dead-code

Pragma version^0.7.0 (Launchpad\_Core-main/KommunitasFactory.sol#3)  
↳ allows old versions

Pragma version^0.7.0 (Launchpad\_Core-main/KommunitasFactory.sol#26)  
↳ allows old versions

Pragma version^0.7.0 (Launchpad\_Core-main/KommunitasFactory.sol#115)  
↳ allows old versions

Pragma version^0.7.0 (Launchpad\_Core-main/KommunitasFactory.sol#285)  
↳ allows old versions

Pragma version>=0.5.0 (Launchpad\_Core-main/KommunitasFactory.sol#744)  
↳ allows old versions

Pragma version>=0.6.0 (Launchpad\_Core-main/KommunitasFactory.sol#754)  
↳ allows old versions

Reference: <https://github.com/crytic/slither/wiki/Detector-Documentation>  
↳ #incorrect-versions-of-solidity

Low level call in TransferHelper.safeApprove(address,address,uint256) (  
↳ Launchpad\_Core-main/KommunitasFactory.sol#758-771):  
- (success,data) = token.call(abi.encodeWithSelector(0x095ea7b3,  
↳ to,value)) (Launchpad\_Core-main/KommunitasFactory.sol  
↳ #764-766)

Low level call in TransferHelper.safeTransfer(address,address,uint256) (  
↳ Launchpad\_Core-main/KommunitasFactory.sol#773-786):

```
- (success, data) = token.call(abi.encodeWithSelector(0xa9059cbb,  
  ↪ to, value)) (Launchpad_Core-main/KommunitasFactory.sol  
  ↪ #779-781)
```

Low level call in TransferHelper.safeTransferFrom(address, address,  
 ↪ address, uint256) (Launchpad\_Core-main/KommunitasFactory.sol  
 ↪ #788-802):

```
- (success, data) = token.call(abi.encodeWithSelector(0x23b872dd,  
  ↪ from, to, value)) (Launchpad_Core-main/KommunitasFactory.sol  
  ↪ #795-797)
```

Low level call in TransferHelper.safeTransferETH(address, uint256) (  
 ↪ Launchpad\_Core-main/KommunitasFactory.sol#804-807):

```
- (success) = to.call{value: value}(new bytes(0)) (Launchpad_Core  
  ↪ -main/KommunitasFactory.sol#805)
```

Reference: <https://github.com/crytic/slither/wiki/Detector-Documentation>  
 ↪ #low-level-calls

Function IUniswapV2Pair.DOMAIN\_SEPARATOR() (Launchpad\_Core-main/  
 ↪ KommunitasFactory.sol#877) is not in mixedCase

Function IUniswapV2Pair.PERMIT\_TYPEHASH() (Launchpad\_Core-main/  
 ↪ KommunitasFactory.sol#879) is not in mixedCase

Function IUniswapV2Pair.MINIMUM\_LIQUIDITY() (Launchpad\_Core-main/  
 ↪ KommunitasFactory.sol#910) is not in mixedCase

Parameter KommunitasProject.initialize(address, address, uint256, uint256,  
 ↪ uint256, uint256, uint256, uint256[3], uint256[2], uint256, uint256,  
 ↪ uint256).\_payment (Launchpad\_Core-main/KommunitasFactory.sol  
 ↪ #1200) is not in mixedCase

Parameter KommunitasProject.initialize(address, address, uint256, uint256,  
 ↪ uint256, uint256, uint256, uint256[3], uint256[2], uint256, uint256,  
 ↪ uint256).\_adminProject (Launchpad\_Core-main/KommunitasFactory.sol  
 ↪ #1201) is not in mixedCase

Parameter KommunitasProject.initialize(address, address, uint256, uint256,  
 ↪ uint256, uint256, uint256, uint256[3], uint256[2], uint256, uint256,  
 ↪ uint256).\_tokenProjectDecimals (Launchpad\_Core-main/  
 ↪ KommunitasFactory.sol#1202) is not in mixedCase

Parameter `KommunitasProject.initialize(address,address,uint256,uint256, uint256,uint256,uint256,uint256[3],uint256[2],uint256,uint256, uint256).` `_sale` (Launchpad\_Core-main/KommunitasFactory.sol#1203) `is not in mixedCase`

Parameter `KommunitasProject.initialize(address,address,uint256,uint256, uint256,uint256,uint256,uint256[3],uint256[2],uint256,uint256, uint256).` `_target` (Launchpad\_Core-main/KommunitasFactory.sol#1204) `is not in mixedCase`

Parameter `KommunitasProject.initialize(address,address,uint256,uint256, uint256,uint256,uint256,uint256[3],uint256[2],uint256,uint256, uint256).` `_calculation` (Launchpad\_Core-main/KommunitasFactory.sol #1205) `is not in mixedCase`

Parameter `KommunitasProject.initialize(address,address,uint256,uint256, uint256,uint256,uint256,uint256[3],uint256[2],uint256,uint256, uint256).` `_start` (Launchpad\_Core-main/KommunitasFactory.sol#1206) `is not in mixedCase`

Parameter `KommunitasProject.initialize(address,address,uint256,uint256, uint256,uint256,uint256,uint256[3],uint256[2],uint256,uint256, uint256).` `_price` (Launchpad\_Core-main/KommunitasFactory.sol#1207) `is not in mixedCase`

Parameter `KommunitasProject.initialize(address,address,uint256,uint256, uint256,uint256,uint256,uint256[3],uint256[2],uint256,uint256, uint256).` `_minMaxPublicBuy` (Launchpad\_Core-main/KommunitasFactory. sol#1208) `is not in mixedCase`

Parameter `KommunitasProject.initialize(address,address,uint256,uint256, uint256,uint256,uint256,uint256[3],uint256[2],uint256,uint256, uint256).` `_tge` (Launchpad\_Core-main/KommunitasFactory.sol#1209) `is not in mixedCase`

Parameter `KommunitasProject.initialize(address,address,uint256,uint256, uint256,uint256,uint256,uint256[3],uint256[2],uint256,uint256, uint256).` `_boosterRunning` (Launchpad\_Core-main/KommunitasFactory. sol#1210) `is not in mixedCase`

Parameter `KommunitasProject.initialize(address,address,uint256,uint256, uint256,uint256,uint256,uint256[3],uint256[2],uint256,uint256, uint256).`

```

    ↪ uint256)._boosterDelay (Launchpad_Core-main/KommunitasFactory.sol
    ↪ #1211) is not in mixedCase
Parameter KommunitasProject.getBuyerHistoryLength(address)._buyer (
    ↪ Launchpad_Core-main/KommunitasFactory.sol#1270) is not in
    ↪ mixedCase
Parameter KommunitasProject.getUserStakedInfo(KommunitasProject.
    ↪ StakingChoice,address)._choice (Launchpad_Core-main/
    ↪ KommunitasFactory.sol#1298) is not in mixedCase
Parameter KommunitasProject.getUserStakedInfo(KommunitasProject.
    ↪ StakingChoice,address)._target (Launchpad_Core-main/
    ↪ KommunitasFactory.sol#1298) is not in mixedCase
Function KommunitasProject.getUserAllocation_d8(address) (Launchpad_Core
    ↪ -main/KommunitasFactory.sol#1328-1344) is not in mixedCase
Parameter KommunitasProject.getUserAllocation_d8(address)._target (
    ↪ Launchpad_Core-main/KommunitasFactory.sol#1328) is not in
    ↪ mixedCase
Parameter KommunitasProject.isBuyer(address)._user (Launchpad_Core-main/
    ↪ KommunitasFactory.sol#1350) is not in mixedCase
Parameter KommunitasProject.getAmountOut(address,uint256)._tokenIn (
    ↪ Launchpad_Core-main/KommunitasFactory.sol#1360) is not in
    ↪ mixedCase
Parameter KommunitasProject.getAmountOut(address,uint256)._amountIn (
    ↪ Launchpad_Core-main/KommunitasFactory.sol#1360) is not in
    ↪ mixedCase
Parameter KommunitasProject.getTotalPurchase(address)._user (
    ↪ Launchpad_Core-main/KommunitasFactory.sol#1379) is not in
    ↪ mixedCase
Parameter KommunitasProject.getUserAllocToken(address)._user (
    ↪ Launchpad_Core-main/KommunitasFactory.sol#1430) is not in
    ↪ mixedCase
Parameter KommunitasProject.amountInCalc(uint256,uint256,address).
    ↪ _tokenReceived (Launchpad_Core-main/KommunitasFactory.sol#1464)
    ↪ is not in mixedCase

```

Parameter `KommunitasProject.amountInCalc(uint256,uint256,address)`.  
 ↳ `_amountIn` (Launchpad\_Core-main/KommunitasFactory.sol#1465) is not  
 ↳ in mixedCase

Parameter `KommunitasProject.amountInCalc(uint256,uint256,address)._user`  
 ↳ (Launchpad\_Core-main/KommunitasFactory.sol#1466) is not in  
 ↳ mixedCase

Parameter `KommunitasProject.amountInCalcInner(address,uint256,uint256)`.  
 ↳ `_user` (Launchpad\_Core-main/KommunitasFactory.sol#1509) is not in  
 ↳ mixedCase

Parameter `KommunitasProject.amountInCalcInner(address,uint256,uint256)`.  
 ↳ `_tokenReceived` (Launchpad\_Core-main/KommunitasFactory.sol#1510)  
 ↳ is not in mixedCase

Parameter `KommunitasProject.amountInCalcInner(address,uint256,uint256)`.  
 ↳ `_amountIn` (Launchpad\_Core-main/KommunitasFactory.sol#1511) is not  
 ↳ in mixedCase

Parameter `KommunitasProject.buyTokenByETH(address[])._path` (  
 ↳ Launchpad\_Core-main/KommunitasFactory.sol#1598) is not in  
 ↳ mixedCase

Parameter `KommunitasProject.buyTokenByToken(uint256,address[])._amountIn`  
 ↳ (Launchpad\_Core-main/KommunitasFactory.sol#1669) is not in  
 ↳ mixedCase

Parameter `KommunitasProject.buyTokenByToken(uint256,address[])._path` (  
 ↳ Launchpad\_Core-main/KommunitasFactory.sol#1669) is not in  
 ↳ mixedCase

Parameter `KommunitasProject.buyToken(uint256,address)._amountIn` (  
 ↳ Launchpad\_Core-main/KommunitasFactory.sol#1738) is not in  
 ↳ mixedCase

Parameter `KommunitasProject.buyToken(uint256,address)._tokenIn` (  
 ↳ Launchpad\_Core-main/KommunitasFactory.sol#1738) is not in  
 ↳ mixedCase

Parameter `KommunitasProject.setBuyer(address)._user` (Launchpad\_Core-main  
 ↳ /KommunitasFactory.sol#1802) is not in mixedCase

Parameter `KommunitasProject.setRecipient(string)._recipient` (  
 ↳ Launchpad\_Core-main/KommunitasFactory.sol#1820) is not in



↪ mixedCase

Parameter `KommunitasProject.swapToAccepted(uint256,address[],address)`.  
 ↪ `_amountIn` (`Launchpad_Core-main/KommunitasFactory.sol#1831`) is not  
 ↪ in mixedCase

Parameter `KommunitasProject.swapToAccepted(uint256,address[],address)`.  
 ↪ `_path` (`Launchpad_Core-main/KommunitasFactory.sol#1832`) is not in  
 ↪ mixedCase

Parameter `KommunitasProject.swapToAccepted(uint256,address[],address)`.  
 ↪ `_to` (`Launchpad_Core-main/KommunitasFactory.sol#1833`) is not in  
 ↪ mixedCase

Function `KommunitasProject.setWhitelist_d6(address[],uint256[])` (  
 ↪ `Launchpad_Core-main/KommunitasFactory.sol#1953-1969`) is not in  
 ↪ mixedCase

Parameter `KommunitasProject.setWhitelist_d6(address[],uint256[])._user` (  
 ↪ `Launchpad_Core-main/KommunitasFactory.sol#1954`) is not in  
 ↪ mixedCase

Parameter `KommunitasProject.setWhitelist_d6(address[],uint256[])`.  
 ↪ `_allocation` (`Launchpad_Core-main/KommunitasFactory.sol#1955`) is  
 ↪ not in mixedCase

Parameter `KommunitasProject.setTge(uint256)._tge` (`Launchpad_Core-main/  
 ↪ KommunitasFactory.sol#1974`) is not in mixedCase

Parameter `KommunitasProject.transferOwnership(address)._newOwner` (  
 ↪ `Launchpad_Core-main/KommunitasFactory.sol#1992`) is not in  
 ↪ mixedCase

Parameter `KommunitasFactory.createProject(address,address,uint256,  
 ↪ uint256,uint256,uint256,uint256,uint256[3],uint256[2],uint256,  
 ↪ uint256,uint256)._payment` (`Launchpad_Core-main/KommunitasFactory.  
 ↪ sol#2074`) is not in mixedCase

Parameter `KommunitasFactory.createProject(address,address,uint256,  
 ↪ uint256,uint256,uint256,uint256,uint256[3],uint256[2],uint256,  
 ↪ uint256,uint256)._adminProject` (`Launchpad_Core-main/  
 ↪ KommunitasFactory.sol#2075`) is not in mixedCase

Parameter `KommunitasFactory.createProject(address,address,uint256,  
 ↪ uint256,uint256,uint256,uint256,uint256[3],uint256[2],uint256,`

↪ uint256,uint256).\_tokenProjectDecimals (Launchpad\_Core-main/  
 ↪ KommunitasFactory.sol#2076) is not in mixedCase  
 Parameter KommunitasFactory.createProject(address,address,uint256,  
 ↪ uint256,uint256,uint256,uint256,uint256[3],uint256[2],uint256,  
 ↪ uint256,uint256).\_sale (Launchpad\_Core-main/KommunitasFactory.sol  
 ↪ #2077) is not in mixedCase  
 Parameter KommunitasFactory.createProject(address,address,uint256,  
 ↪ uint256,uint256,uint256,uint256,uint256[3],uint256[2],uint256,  
 ↪ uint256,uint256).\_target (Launchpad\_Core-main/KommunitasFactory.  
 ↪ sol#2078) is not in mixedCase  
 Parameter KommunitasFactory.createProject(address,address,uint256,  
 ↪ uint256,uint256,uint256,uint256,uint256[3],uint256[2],uint256,  
 ↪ uint256,uint256).\_calculation (Launchpad\_Core-main/  
 ↪ KommunitasFactory.sol#2079) is not in mixedCase  
 Parameter KommunitasFactory.createProject(address,address,uint256,  
 ↪ uint256,uint256,uint256,uint256,uint256[3],uint256[2],uint256,  
 ↪ uint256,uint256).\_start (Launchpad\_Core-main/KommunitasFactory.  
 ↪ sol#2080) is not in mixedCase  
 Parameter KommunitasFactory.createProject(address,address,uint256,  
 ↪ uint256,uint256,uint256,uint256,uint256[3],uint256[2],uint256,  
 ↪ uint256,uint256).\_price (Launchpad\_Core-main/KommunitasFactory.  
 ↪ sol#2081) is not in mixedCase  
 Parameter KommunitasFactory.createProject(address,address,uint256,  
 ↪ uint256,uint256,uint256,uint256,uint256[3],uint256[2],uint256,  
 ↪ uint256,uint256).\_minMaxPublicBuy (Launchpad\_Core-main/  
 ↪ KommunitasFactory.sol#2082) is not in mixedCase  
 Parameter KommunitasFactory.createProject(address,address,uint256,  
 ↪ uint256,uint256,uint256,uint256,uint256[3],uint256[2],uint256,  
 ↪ uint256,uint256).\_tge (Launchpad\_Core-main/KommunitasFactory.sol  
 ↪ #2083) is not in mixedCase  
 Parameter KommunitasFactory.createProject(address,address,uint256,  
 ↪ uint256,uint256,uint256,uint256,uint256[3],uint256[2],uint256,  
 ↪ uint256,uint256).\_boosterRunning (Launchpad\_Core-main/  
 ↪ KommunitasFactory.sol#2084) is not in mixedCase

Parameter `KommunitasFactory.createProject(address,address,uint256, uint256,uint256,uint256,uint256[3],uint256[2],uint256, uint256,uint256)._boosterDelay` (Launchpad\_Core-main/  
KommunitasFactory.sol#2085) is not in mixedCase

Parameter `KommunitasFactory.transferOwnership(address)._newOwner` (  
Launchpad\_Core-main/KommunitasFactory.sol#2128) is not in  
mixedCase

Parameter `KommunitasFactory.setSwapFactory(address)._swapFactory` (  
Launchpad\_Core-main/KommunitasFactory.sol#2137) is not in  
mixedCase

Parameter `KommunitasFactory.setPayment(address)._token` (Launchpad\_Core-  
main/KommunitasFactory.sol#2146) is not in mixedCase

Parameter `KommunitasFactory.removePayment(address)._token` (  
Launchpad\_Core-main/KommunitasFactory.sol#2163) is not in  
mixedCase

Parameter `KommunitasFactory.setDevAddr(address)._devAddr` (Launchpad\_Core  
-main/KommunitasFactory.sol#2184) is not in mixedCase

Parameter `KommunitasFactory.getPaymentIndex(address)._token` (  
Launchpad\_Core-main/KommunitasFactory.sol#2193) is not in  
mixedCase

Reference: <https://github.com/crytic/slither/wiki/Detector-Documentation>  
↳ #conformance-to-solidity-naming-conventions

Redundant expression `"this (Launchpad_Core-main/KommunitasFactory.sol  
↳ #21)" inContext` (Launchpad\_Core-main/KommunitasFactory.sol#15-24)

Reference: <https://github.com/crytic/slither/wiki/Detector-Documentation>  
↳ #redundant-statements

Variable `KommunitasProject.getUserAllocation_d8(address).userV1Staked` (  
↳ Launchpad\_Core-main/KommunitasFactory.sol#1333) is too similar to  
↳ `KommunitasProject.getUserAllocation_d8(address).userV2Staked` (  
↳ Launchpad\_Core-main/KommunitasFactory.sol#1337)

Variable `KommunitasProject.getUserAllocation_d8(address).v1TotalStaked` (  
↳ Launchpad\_Core-main/KommunitasFactory.sol#1333) is too similar to

↪ `KommunitasProject.getUserAllocation_d8(address).v2TotalStaked` (  
↪ `Launchpad_Core-main/KommunitasFactory.sol#1337`)

Reference: <https://github.com/crytic/slither/wiki/Detector-Documentation>

↪ `#variable-names-are-too-similar`

`name()` should be declared `external`:

- `ERC20.name()` (`Launchpad_Core-main/KommunitasFactory.sol`  
↪ `#342-344`)

`symbol()` should be declared `external`:

- `ERC20.symbol()` (`Launchpad_Core-main/KommunitasFactory.sol`  
↪ `#350-352`)

`decimals()` should be declared `external`:

- `ERC20.decimals()` (`Launchpad_Core-main/KommunitasFactory.sol`  
↪ `#367-369`)

`totalSupply()` should be declared `external`:

- `ERC20.totalSupply()` (`Launchpad_Core-main/KommunitasFactory.sol`  
↪ `#374-376`)

`balanceOf(address)` should be declared `external`:

- `ERC20.balanceOf(address)` (`Launchpad_Core-main/KommunitasFactory`  
↪ `.sol#381-383`)

`transfer(address,uint256)` should be declared `external`:

- `ERC20.transfer(address,uint256)` (`Launchpad_Core-main/`  
↪ `KommunitasFactory.sol#393-401`)

`allowance(address,address)` should be declared `external`:

- `ERC20.allowance(address,address)` (`Launchpad_Core-main/`  
↪ `KommunitasFactory.sol#406-414`)

`approve(address,uint256)` should be declared `external`:

- `ERC20.approve(address,uint256)` (`Launchpad_Core-main/`  
↪ `KommunitasFactory.sol#423-431`)

`transferFrom(address,address,uint256)` should be declared `external`:

- `ERC20.transferFrom(address,address,uint256)` (`Launchpad_Core-`  
↪ `main/KommunitasFactory.sol#446-461`)

`increaseAllowance(address,uint256)` should be declared `external`:

- ERC20.increaseAllowance(address,uint256) (Launchpad\_Core-main/  
↳ KommunitasFactory.sol#475-486)

decreaseAllowance(address,uint256) should be declared external:

- ERC20.decreaseAllowance(address,uint256) (Launchpad\_Core-main/  
↳ KommunitasFactory.sol#502-516)

initialize(address,address,uint256,uint256,uint256,uint256,uint256,  
↳ uint256[3],uint256[2],uint256,uint256,uint256) should be declared  
↳ external:

- KommunitasProject.initialize(address,address,uint256,uint256,  
↳ uint256,uint256,uint256,uint256[3],uint256[2],uint256,  
↳ uint256,uint256) (Launchpad\_Core-main/KommunitasFactory.  
↳ sol#1199-1249)

getWhitelistLength() should be declared external:

- KommunitasProject.getWhitelistLength() (Launchpad\_Core-main/  
↳ KommunitasFactory.sol#1256-1258)

getBuyersLength() should be declared external:

- KommunitasProject.getBuyersLength() (Launchpad\_Core-main/  
↳ KommunitasFactory.sol#1263-1265)

getBuyerHistoryLength(address) should be declared external:

- KommunitasProject.getBuyerHistoryLength(address) (  
↳ Launchpad\_Core-main/KommunitasFactory.sol#1270-1276)

getTotalPurchase(address) should be declared external:

- KommunitasProject.getTotalPurchase(address) (Launchpad\_Core-  
↳ main/KommunitasFactory.sol#1379-1387)

moveFund() should be declared external:

- KommunitasProject.moveFund() (Launchpad\_Core-main/  
↳ KommunitasFactory.sol#1583-1592)

buyTokenByETH(address[]) should be declared external:

- KommunitasProject.buyTokenByETH(address[]) (Launchpad\_Core-main  
↳ /KommunitasFactory.sol#1598-1662)

buyTokenByToken(uint256,address[]) should be declared external:

- KommunitasProject.buyTokenByToken(uint256,address[]) (  
↳ Launchpad\_Core-main/KommunitasFactory.sol#1669-1731)

buyToken(uint256,address) should be declared external:

```

- KommunitasProject.buyToken(uint256,address) (Launchpad_Core-
  ↪ main/KommunitasFactory.sol#1738-1796)
setRecipient(string) should be declared external:
- KommunitasProject.setRecipient(string) (Launchpad_Core-main/
  ↪ KommunitasFactory.sol#1820-1822)
setWhitelist_d6(address[],uint256[]) should be declared external:
- KommunitasProject.setWhitelist_d6(address[],uint256[]) (
  ↪ Launchpad_Core-main/KommunitasFactory.sol#1953-1969)
setTge(uint256) should be declared external:
- KommunitasProject.setTge(uint256) (Launchpad_Core-main/
  ↪ KommunitasFactory.sol#1974-1977)
setV2Staked() should be declared external:
- KommunitasProject.setV2Staked() (Launchpad_Core-main/
  ↪ KommunitasFactory.sol#1982-1990)
transferOwnership(address) should be declared external:
- KommunitasProject.transferOwnership(address) (Launchpad_Core-
  ↪ main/KommunitasFactory.sol#1992-1995)
togglePause() should be declared external:
- KommunitasProject.togglePause() (Launchpad_Core-main/
  ↪ KommunitasFactory.sol#1997-1999)
allProjectsLength() should be declared external:
- KommunitasFactory.allProjectsLength() (Launchpad_Core-main/
  ↪ KommunitasFactory.sol#2047-2049)
allPaymentsLength() should be declared external:
- KommunitasFactory.allPaymentsLength() (Launchpad_Core-main/
  ↪ KommunitasFactory.sol#2054-2056)
createProject(address,address,uint256,uint256,uint256,uint256,uint256,
  ↪ uint256[3],uint256[2],uint256,uint256,uint256) should be declared
  ↪ external:
- KommunitasFactory.createProject(address,address,uint256,uint256
  ↪ ,uint256,uint256,uint256,uint256[3],uint256[2],uint256,
  ↪ uint256,uint256) (Launchpad_Core-main/KommunitasFactory.
  ↪ sol#2073-2122)
transferOwnership(address) should be declared external:

```

```
- KommunitasFactory.transferOwnership(address) (Launchpad_Core-
  ↳ main/KommunitasFactory.sol#2128-2131)
setSwapFactory(address) should be declared external:
- KommunitasFactory.setSwapFactory(address) (Launchpad_Core-main/
  ↳ KommunitasFactory.sol#2137-2140)
setPayment(address) should be declared external:
- KommunitasFactory.setPayment(address) (Launchpad_Core-main/
  ↳ KommunitasFactory.sol#2146-2157)
removePayment(address) should be declared external:
- KommunitasFactory.removePayment(address) (Launchpad_Core-main/
  ↳ KommunitasFactory.sol#2163-2178)
setDevAddr(address) should be declared external:
- KommunitasFactory.setDevAddr(address) (Launchpad_Core-main/
  ↳ KommunitasFactory.sol#2184-2187)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation
  ↳ #public-function-that-could-be-declared-external
Launchpad_Core-main/KommunitasFactory.sol analyzed (14 contracts with 78
  ↳ detectors), 152 result(s) found
```

## Conclusion:

Most of the vulnerabilities found by the analysis have already been addressed by the smart contract code review.

# 5 Conclusion

In this audit, we examined the design and implementation of Kommunitas contract and discovered several issues of varying severity. Kommunitas team addressed 4 issues raised in the initial report and implemented the necessary fixes, while classifying the rest as a risk with low-probability of occurrence. Shellboxes' auditors advised Kommunitas Team to maintain a high level of vigilance and to keep those findings in mind in order to avoid any future complications.





For a Contract Audit, contact us at [contact@shellboxes.com](mailto:contact@shellboxes.com)